• Brand Name: Shanghai Diesel Generators

· Certification: ISO9001 600KW • Model Number: • Minimum Order

Quantity:

• Price: Negotiable

· Packaging Details: Plywood Package

• Delivery Time: 3-5days • Payment Terms: T/T 1000 · Supply Ability:



Product Specification

· Cooling Method: Water Cooled • Fuel Consumption: ≤210g/kWh • Starting Method: Electric/Air

380V/400V/415V/440V/480V Voltage:

• Noise Level: ≤75dB(A) 20-1000kW • Power Output: • Service Life: ≥20,000 Hours • Speed: 1500rpm/1800rpm

• Highlight: Multiple Applications Shanghai Generators,

> Versatile Shanghai Generators, Versatile 600KW Diesel Generator



Our Product Introduction

Product Description

Versatile Mobile Diesel Generator for Multiple Applications shanghai generator

Product Description:

Shanghai Diesel Generators are the ideal choice for mobile genset trailer, mobile diesel generator, and containerized genset applications. With a frequency of 50Hz/60Hz, fuel consumption of ≤210g/kWh, water cooled cooling method, voltage of 380V/400V/415V/440V/480V, and noise level of ≤75dB(A), these generators provide reliable and efficient power for any situation. These diesel generators are designed with the latest technology and the highest quality components, making them the perfect choice for any application. Whether you need a mobile genset trailer, a mobile diesel generator, or a containerized genset, Shanghai Diesel Generators are the ideal solution.

Features:

Product Name: Shanghai Diesel Generators

Service Life: ≥20,000 Hours

Fuel Type: Diesel

Power Output: 20-1000kW Speed: 1500rpm/1800rpm Warrantv: 1 Year

Features: trailer mounted generator, silent electric generator, silent diesel generator

Technical Parameters:

Keywords	Parameters						
Speed	1500rpm/1800rpm						
Voltage	380V/400V/415V/440V/480V						
Noise Level	≤75dB(A)						
Fuel Consumption	≤210g/kWh						
Frequency	50Hz/60Hz						
Warranty	1 Year						
Power Output	20-1000kW						
Fuel Type	Diesel						
Cooling Method	Water Cooled						
Control System	Smartgen/Deepsea/ComAp						
Keywords	silent electric generator, trailer mounted generator, containerized genset						

Applications:

Shanghai Diesel Generators - 100KW

These Shanghai Diesel Generators are the ideal solution for a variety of silent electric generator applications. With a brand name of Shanghai Diesel Generators, Model Number of 100KW, Place of Origin of CHINA, and Certification of ISO9001, these generators are guaranteed to be of the highest quality. The Minimum Order Quantity is 1, and the Price ranges from US\$ 9850-10150. The Packaging Details for these generators is Plywood Package, and they have a Delivery Time of 3-5days. The Payment Terms are T/T, and the Supply Ability is 1000. These generators come with Speed of 1500rpm/1800rpm, Cooling Method of Water Cooled, Warranty of 1 Year, Engine Brand of Cummins, and Frequency of 50Hz/60Hz.

These Shanghai Diesel Generators are perfect for trailer mounted generator and mobile genset trailer applications, as they are silent and will provide reliable and consistent power. They are suitable for both residential and industrial applications, such as providing power for construction sites, emergency backup power, and recreational activities. These generators are also perfect for agricultural applications, such as powering irrigation systems and supplying electricity to farms.

Shanghai Diesel Generators are a reliable, cost-effective, and user-friendly solution for a variety of silent electric generator applications. With their easy installation and maintenance, they are the perfect choice for both residential and commercial applications.

Customization:

Shanghai Diesel Generators

Brand Name: Shanghai Diesel Generators

Model Number: 100KW Place of Origin: CHINA Certification: ISO9001 Minimum Order Quantity: 1 Price: US\$ 9850-10150

Packaging Details: Plywood Package

Delivery Time: 3-5days
Payment Terms: T/T
Supply Ability: 1000
Speed: 1500rpm/1800rpm
Frequency: 50Hz/60Hz
Starting Method: Electric/Air
Noise Level: ≤75dB(A)
Cooling Method: Water Cooled

Shanghai Diesel Generators is a containerized genset that is also silent electric generator and trailer mounted generator. It is certified with ISO9001 with the minimum order quantity of 1 and a price range from US\$ 9850-10150. The speed is 1500rpm/1800rpm with a frequency of 50Hz/60Hz and the starting method is Electric/Air. The Noise Level is ≤75dB(A) and it is cooled with Water Cooled. It will be delivered within 3-5days with Plywood Package and payment terms of T/T.

Support and Services:

Shanghai Diesel Generators Technical Support and Service

At Shanghai Diesel Generators, we are committed to providing you with the best possible service. We offer a wide range of technical support and services to ensure that your generator is running optimally.

Technical Support

We offer a full range of technical support services including:

Troubleshooting and diagnostics

Engine and generator repair

Systems optimization

Installation and commissioning

On-site maintenance

Spare parts replacement

Service

We offer a number of services to keep your generator running at its best:

Scheduled maintenance and inspections

Emergency service and repairs

Fuel and oil delivery

Filter and component replacements

Noise and vibration monitoring and analysis

Packing and Shipping:

Packaging and Shipping for Shanghai Diesel Generators

Shanghai Diesel Generators are securely packaged for shipping and use. They are shipped in boxes that are designed to fit the generators and are built to last. The boxes are specifically sized to fit the generator and have built-in padding to protect the generator from damage during transit.

The generator is securely strapped in place inside the box. The box is then secured with tape and labeled for easy identification. The generator is also inspected before being shipped to ensure that it is in perfect working order.

The generator is then shipped using a reliable shipping service. The shipping service will provide tracking information and delivery confirmation to ensure the generator arrives safely and on time.

Product Description

1. Main technical parameter for generator set

brand	Green power
manufacturer	made in china
The unit type	FM75GF
power of the assembling unit	75KW/84kva
power factor	0.8
starting mode	electrical starting
output voltage	400/230V
current output	135A
mode of connection	three-phase four-wire
rated frequency	50HZ

1. Introduction to diesel engine

This series of generator sets are made by Shanghai diesel engine co., LTD., which produces series H series, D series, E series, G series and W series power station diesel engines as power, and equipped with famous brand generator. The unit has the characteristics of high pressure regulating precision, good dynamic performance, low voltage waveform distortion, high efficiency, reliable work, long service life and good economic performance. The unit is equipped with a full set of no-maintenance battery startup system. The user can start the unit with the injection of oil and anti-freeze liquid and switch on the switch, so as to output power and improve the convenience of use.

1. Generator parameter

The nonlinear load voltage waveform is less distorted

Strong short circuit endurance

The stator winding is impregnated by vacuum pressure and covered with dampproof epoxy insulating paint. The rotor and exciter are treated with high temperature resistant insulating resin paint, which is more suitable for use in bad environment.

H grade insulation

The rotor silicon steel plate is mechanically tightened

China Shanghai Group 75kw Silent Diesel Generator Set

model	power KW KV	Α	electricity A	Diesel engine model	number of cylinders	Cylinder diameter mm	lubricating oil capacity	oil wear g/kw.g	The unit size	The unit weight
FM5 0GF	50	62.5	90	SC4H95D2	4	135*140	25	232	2200*800*1380	1500
FM7 5GF	75	93.75	135	SC4H15D2	4	135*150	25	225	2300*900*1300	1600
FM1 00G F	100	125	180	SC4H160D2	4	105*124	13	193	2500*900*1500	2000
FM1 20G F	120	150	216	SC4H180D2	4	135*150	28	226	2600*900*1550	2250
FM1 50G F	150	187.5	270	SC7H230D2	6	105*124	17.5	199	2600*900*1550	2300
FM1 70G F	170	212.5	306	SC7H250D2	6	114*135	19	198	2600*900*1600	2400
FM1 80G F	180	225	324	SC8D280D2	6	114*144	19	198	2600*1050*1600	2400
FM2 00G F	200	250	360	SC9D310D2	6	114*144	19	198	2600*1050*1600	2600
FM2 20G F	220	275	396	SC9D340D2	6	135*150	33	225	3000*1280*1650	2650
FM2 50G F	250	312.5	450	SC13G355D2	6	135*150	33	225	3000*1280*1650	2800
FM2 50G F	250	312.5	450	SC13G420D2	6	135*150	33	225	3000*1280*1650	2800
FM3 00G F	300	375	540	SC12E460D2	6	128*153	37	192	3000*1280*1700	3450
FM3										

20G F	320	400	576	SC15G500D2	6	135*165	33	200	3200*1350*1850	3500
FM3 50G F	350	437.5	630	SC15G500D2	6	135*165	33	202	3200*1350*1900	3500
FM4 00G F	400	500	720	SC25G610D2	12	135*150	65	202	3400*1500*1950	4200
FM4 50G F	450	562.5	810	SD25G690D2	12	135*155	65	202	3500*1500*1950	4500
FM5 00G F	500	625	900	SC27G755D2	12	135*155	65	202	3500*1500*2000	4800
FM5 50G F	550	687.5	990	SC27G830D2	12	135*155	65	202	3600*1600*2000	5000
FM6 00G F	600	750	1080	SC27G900D2	12	135*155	65	202	3650*1600*2000	5050
FM6 60G F	660	825	1188	SC33W990D2	6	180*215	75	205	4400*1700*2150	5200
FM8 00G F	800	1000	1440	SC33W1150D2	6	180*215	75	205	4800*1800*2250	6500

- 1. The above technical parameters have a speed of 1500RPM, a frequency of 50HZ, a rated voltage of 400/230v, a power factor of 0.8, and a three-phase four-wire connection.
- 2. According to customers' demand, the generator can choose famous brands such as Shanghai Stanford, Shanghai marathon, wuxi Stanford, etc.

3.60HZ generator sets can be customized according to the special needs of customers.

China Shanghai Group 75kw Silent Diesel Generator Set

Standard equipment:
diesel engine
alternator
water cooled radiator
industrial silencer and flexible exhaust hose
maintenance-free lead-acid starting batteries and battery connect wires
output circuit breaker
digital control panel
steel base frame
China Shanghai Group 75kw Silent Diesel Generator Set

China Shanghai Group 75kw Silent Diesel Generator Set





8618363646120

fm_dieselgenerator@163.com



enginedieselgenerator.com