CHINA

1

1000

Shanghai Diesel Generators

# 6 Cylinder Diesel Engine Generator Silent Diesel Generators For Uninterrupted Power

# Basic Information

- Place of Origin:
- Brand Name:
- Certification: ISO9001
- Model Number: 100KW
- Minimum Order Quantity:
- Price: Negotiable
- Packaging Details: Plywood Package
- Delivery Time: 3-5days
- Payment Terms: T/T
- Supply Ability:



ISO CE SGS SASO

# **Product Specification**

<ul> <li>Cooling Method:</li> </ul>	Water Cooled
Starting Method:	Electric/Air
Service Life:	≥20,000 Hours
Warranty:	1 Year
Fuel Consumption:	≤210g/kWh
• Fuel Type:	Diesel
Speed:	1500rpm/1800rpm
• Frequency:	50Hz/60Hz
Highlight:	Silent 6 Cylinder Diesel Engine Generator,

**Uninterrupted Power Silent Diesel Generators** 



**Our Product Introduction** 

Service Life ≥20 Silent Electric Generator for uninterrupted Power

### **Product Description:**

Shanghai Diesel Generators are mobile diesel generators designed to provide reliable and efficient power in even the most challenging of environments. Featuring Cummins engines and power outputs ranging from 20-1000kW, these generators offer excellent performance and durability. With a speed of 1500rpm/1800rpm and noise levels of up to 75dB(A), these generators offer outstanding performance while providing a reliable and efficient power source. With a service life of over 20,000 hours, these generators are designed for long-term use and can be mounted on trailers for easy transportation. Whether you need a mobile diesel generator for residential use or a powerful trailer mounted generator for commercial use, Shanghai Diesel Generators are the perfect choice.

### Features:

Product Name: Shanghai Diesel Generators Frequency: 50Hz/60Hz Control System: Smartgen/Deepsea/ComAp Service Life: ≥20,000 Hours Noise Level: ≤75dB(A) Speed: 1500rpm/1800rpm Containerized genset Silent electric generator

# **Technical Parameters:**

Attribute	Description
Fuel Type	Diesel
Power Output	20-1000kW
Fuel Consumption	≤210g/kWh
Service Life	≥20,000 Hours
Warranty	1 Year
Cooling Method	Water Cooled
Speed	1500rpm/1800rpm
Engine Brand	Cummins
Starting Method	Electric/Air
Frequency	50Hz/60Hz
Mobile Generator	Mobile Genset Trailer, Trailer Mounted Generator, Mobile Diesel Generator

# **Applications:**

Shanghai Diesel Generators are designed for a wide range of applications, from powering construction sites to providing backup power for home and businesses during power outages. The 100KW model is a trailer mounted generator, which allows for easy mobility and transportability. This mobile diesel generator is certified to meet ISO9001 standards and is powered by a Cummins engine. It is water cooled and can generate 20-1000kW of power. The fuel type is diesel and it has a service life of over 20,000 hours. This mobile genset trailer comes with a minimum order quantity of one, and is packed in a plywood package. The price range is US\$ 9850-10150, and delivery time is 3-5 days with payment terms of T/T. The supply ability of this mobile generator is 1000.

#### **Customization:**

#### Shanghai Diesel Generators

Brand Name: Shanghai Diesel Generators Model Number: 100KW Place of Origin: CHINA Certification: ISO9001 Minimum Order Quantity: 1 Price: US\$ 9850-10150 Packaging Details: Plywood Package Delivery Time: 3-5days Payment Terms: T/T Supply Ability: 1000 Fuel Type: Diesel Voltage: 380V/400V/415V/440V/480V Frequency: 50Hz/60Hz Noise Level: ≤75dB(A) Warranty: 1 Year Specialty: Containerized genset, mobile genset trailer, trailer mounted generator

# Support and Services:

Shanghai Diesel Generators offers comprehensive technical support and services for its products. Our experienced technicians are available to provide on-site technical assistance, service, preventive maintenance, and troubleshooting. Our team is always available to answer any questions about your generator, and can assist with start-up, commissioning, and maintenance. Additionally, our knowledgeable staff can offer technical advice and assistance on any project or application.

We provide customized technical solutions for specific requirements and applications. Our services include system analysis, design, installation, commissioning, training, and documentation. We can also provide spare parts and accessories for your generator, as well as preventive maintenance plans and periodic maintenance programs.

We are committed to providing our customers with the highest quality technical support and services. Our team is dedicated to ensuring that your generator operates reliably and efficiently, and to providing the best customer service possible.

# Packing and Shipping:

Packaging and Shipping for Shanghai Diesel Generators

We package and ship Shanghai Diesel Generators in sturdy, weatherproof containers, designed to protect our products during transit. Our packaging is designed to minimize the risk of damage, and to ensure that the generators arrive safely and in good condition. Once the generators are packaged, they are securely fastened to a pallet, and shrink-wrapped for extra protection. The pallets are then loaded onto a truck for delivery to our customers. We offer both local and international shipping, so our customers can have their generators delivered anywhere in the world.

## **Product Description**

### 1. Main technical parameter for generator set

brand	Green power
manufacturer	made in china
The unit type	FM75GF
power of the assembling unit	75KW/84kva
power factor	0.8
starting mode	electrical starting
output voltage	400/230V
current output	135A
mode of connection	three-phase four-wire
rated frequency	50HZ

China Shanghai Group 75kw Silent Diesel Generator Set

### 1. Introduction to diesel engine

This series of generator sets are made by Shanghai diesel engine co., LTD., which produces series H series, D series, E series, G series and W series power station diesel engines as power, and equipped with famous brand generator. The unit has the characteristics of high pressure regulating precision, good dynamic performance, low voltage waveform distortion, high efficiency, reliable work, long service life and good economic performance. The unit is equipped with a full set of no-maintenance battery startup system. The user can start the unit with the injection of oil and anti-freeze liquid and switch on the switch, so as to output power and improve the convenience of use.

### 1. Generator parameter

The nonlinear load voltage waveform is less distorted

Strong short circuit endurance

The stator winding is impregnated by vacuum pressure and covered with dampproof epoxy insulating paint The rotor and exciter are treated with high temperature resistant insulating resin paint, which is more suitable for use in bad environment

H grade insulation

The rotor silicon steel plate is mechanically tightened China Shanghai Group 75kw Silent Diesel Generator Set

power KW KV	'A	electricity A	Diesel engine model	number of cylinders	Cylinder diameter mm	lubricating oil capacity L	oil wear g/kw.g	The unit size L×W×H	The unit weight kg
50	62.5	90	SC4H95D2	4	135*140	25	232	2200*800*1380	1500
75	93.75	135	SC4H15D2	4	135*150	25	225	2300*900*1300	1600
100	125	180	SC4H160D2	4	105*124	13	193	2500*900*1500	2000
120	150	216	SC4H180D2	4	135*150	28	226	2600*900*1550	2250
150	187.5	270	SC7H230D2	6	105*124	17.5	199	2600*900*1550	2300
170	212.5	306	SC7H250D2	6	114*135	19	198	2600*900*1600	2400
180	225	324	SC8D280D2	6	114*144	19	198	2600*1050*1600	2400
200	250	360	SC9D310D2	6	114*144	19	198	2600*1050*1600	2600
220	275	396	SC9D340D2	6	135*150	33	225	3000*1280*1650	2650
250	312.5	450	SC13G355D2	6	135*150	33	225	3000*1280*1650	2800
250	312.5	450	SC13G420D2	6	135*150	33	225	3000*1280*1650	2800
300	375	540	SC12E460D2	6	128*153	37	192	3000*1280*1700	3450
320	400	576	SC15G500D2	6	135*165	33	200	3200*1350*1850	3500
350	437.5	630	SC15G500D2	6	135*165	33	202	3200*1350*1900	3500
400	500	720	SC25G610D2	12	135*150	65	202	3400*1500*1950	4200
450	562.5	810	SD25G690D2	12	135*155	65	202	3500*1500*1950	4500
500	625	900	SC27G755D2	12	135*155	65	202	3500*1500*2000	4800
	роwer КW KV 50 100 120 120 1300 2200 2200 2200 2200 2	Nower5062.57593.75100125120130120137.5130212.5200250220250220312.5300375320400350437.5400502.5	KWI KVKA5062.5907593.75135100125180120150216130187.5270130212.5306130250360200250360200312.5450201312.5450202312.5540203375540304375540305437.5540306200200300375540300375540300375540300375540300375540300375540300500720400502810400562.5810	powr KWKXXaleschicity ModelDiesel engine model5062.5090SC4H95D27093.75135SC4H15D2100125180SC4H160D2120150216SC4H180D2130187.5270SC7H230D2140212.5306SC7H230D2170212.5306SC9D310D2180250304SC9D310D2190250364SC9D340D220012.5396SC13G355D2210312.5450SC13G35D2210312.5450SC13G420D2210312.5540SC13G420D231037.5540SC13G35D231037.5630SC15G500D2310500720SC25G610D2310562.5810SD25G890D2	power KWWEXelectricity ADiesel engine modelnumber of of clansional5062.5090.00SC4H195D2047001350I3610SC4H15D2041001250180.00SC4H160D241200150.00216.00SC4H180D241500187.00SC7H230D261700212.50304.00SC3D230D2618002250324.00SC3D310D261800250.00360.00SC3D340D262000312.50450.00SC13G35D262010312.50540.00SC13G35D262020312.50540.00SC13G420D263000375.00SC13G350D263000375.00SC13G350D263000375.00SC13G350D263000375.00SC13G350D263000576.00SC13G350D263000576.00SC13G350D263000576.00SC13G350D263000576.00SC13G350D263000576.00SC13G350D2123000562.50A10.00SC25G610D2124000562.50A10.00SC25G610D2124000562.50A10.00SC25G610D212	power KWK-V- KWK-V-electricity nodelliesel engine nodelnumber of of of cluncederCultuder idameter idameter idameter5062.590.05C4H15D204.0135'1507001250130SC4H16D204.0135'1501001250216SC4H18D204.0135'1501001250216SC4H230204.0135'1501001250216SC7H230206.014'143100212.5364SC3D230206.014'144100250364SC3D310D26.0135'150101250364SC3D340206.0135'150250312.5364SC13G35D26.0135'150102312.5450SC13G35D26.0135'150103312.5364SC13G35D26.0135'150104315.5SC13G35D26.0135'150105314.5SC13G35D26.0135'150105314.5SC13G35D26.0135'150105315.5SC13G35D26.0135'150105314.5SC13G35D26.0135'150105314.5SC13G35D26.1135'150105314.5SC13G35D26.1135'150105314.5SC13G35D26.1135'150105314.5SC13G35D26.1135'150105314.5SC13G35D26.1135'150 <tr< td=""><td>provery- KWK V-V-Velectricity modelnumber signame modellumber<b< td=""><td>power</td><td>provertype provertype standardelevention standardubstation standardof warder standardof warder standard<t< td=""></t<></td></b<></br></br></br></br></br></br></br></br></br></br></br></br></br></br></br></td></tr<>	provery- KWK V-V-Velectricity modelnumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber signame modellumber 	power	provertype provertype standardelevention standardubstation standardof warder standardof warder standard <t< td=""></t<>

FM5 50G F	550	687.5	990	SC27G830D2	12	135*155	65	202	3600*1600*2000	5000
FM6 00G F	600	750	1080	SC27G900D2	12	135*155	65	202	3650*1600*2000	5050
FM6 60G F	660	825	1188	SC33W990D2	6	180*215	75	205	4400*1700*2150	5200
FM8 00G F	800	1000	1440	SC33W1150D2	6	180*215	75	205	4800*1800*2250	6500

1. The above technical parameters have a speed of 1500RPM, a frequency of 50HZ, a rated voltage of 400/230v, a power factor of 0.8, and a three-phase four-wire connection.

2. According to customers' demand, the generator can choose famous brands such as Shanghai Stanford, Shanghai marathon, wuxi Stanford, etc.

3.60HZ generator sets can be customized according to the special needs of customers. China Shanghai Group 75kw Silent Diesel Generator Set

8618363646120

Standard equipment:	
diesel engine	
alternator	
water cooled radiator	
industrial silencer and flexible exhaust hose	
maintenance-free lead-acid starting batteries and battery connect wires	
output circuit breaker	
digital control panel	
steel base frame	
China Shanghai Group 75kw Silent Diesel Generator Set	
China Shanghai Group 75kw Silent Diesel Generator Set	

進坊丰茂动力设备有限公司 Weifang Green power Equipment Co., Ltd.

fm\_dieselgenerator@163.com 📀 enginedieselgenerator.com

Weifang Weicheng Economic Development Zone, Weifang, Shandong, China