



Low Noise Cummins Open Type Diesel Generator Set 120KW Water Cooled Reliable

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: Cummins Diesel Generators
- Certification: ISO9001
- Model Number: FM100KW
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Plywood packing
- Delivery Time: 3-5 weeks
- Payment Terms: T/T
- Supply Ability: 1000



Product Specification

- Cooling System: Air/Water Cooled
- Frequency: 50/60 Hz
- Noise Level: Low
- Voltage: 120/240/480V
- Emission Standard: EPA Certified
- Alternator: Brushless
- Warranty: 1-2 Years
- Maintenance: Easy
- Highlight: 120KW Open Type Diesel Generator,
120KW Water Cooled Diesel Generator,
Low Noise Cummins Diesel Generator Set

Product Description

120KW Low Noise Cummins Diesel Generators Easy Maintenance Air/Water Cooled Reliable

Product Description:

Cummins Diesel Generators are top-of-the-line Electric Diesel Generators with air/water cooled systems and low noise levels. With power outputs ranging from 5 KW to 3000 KW, Cummins Diesel Generators are perfect for any application. The digital controller ensures an easy and precise operation, and a 1-2 year warranty provides peace of mind. Cummins Diesel Generators are also simple to maintain with a variety of Cummins Diesel Generator parts available.

Features:

Product Name: **Cummins Diesel Generators**

Maintenance: **Easy**

Cooling System: **Air/Water Cooled**

Controller: **Digital**

Warranty: **1-2 Years**

Fuel Consumption: **Low**

Technical Parameters:

Parameter	Value
Controller	Digital
Cooling System	Air/Water Cooled
Fuel Type	Diesel
Emission Standard	EPA Certified
Warranty	1-2 Years
Speed	1500/1800 Rpm
Frequency	50/60 Hz
Alternator	Brushless
Power Output	5-3000 KW
Voltage	120/240/480V

Applications:

Cummins Diesel Generators, designed with Brand Name Cummins, Model Number FM100KW, Place of Origin China, and Certification ISO9001, are the perfect solution for those who need reliable and durable power. With a Minimum Order Quantity of 1, and Prices ranging from US\$ 7500-8500 / Set(FOB Price), these Diesel Generators come with Plywood packing, and a Delivery Time of 3-5 weeks. Payment Terms are flexible, with T/T accepted, and a Supply Ability of 1000. The Voltage is 120/240/480V, with a Warranty of 1-2 Years, Digital Controller, Brushless Alternator, and Low Noise Level. These Diesel Generator Parts are perfect for Diesel AC Generator, Diesel Generator Parts, and Diesel Generator Set, making Cummins Diesel Generator the perfect choice for your power needs.

Customization:

CUMMINS Diesel Generator Set

Brand Name: Cummins Diesel Generators

Model Number: FM100KW

Place of Origin: CHINA

Certification: ISO9001

Minimum Order Quantity: 1

Price: US\$ 7500-8500 / Set(FOB Price)

Packaging Details: Plywood packing

Delivery Time: 3-5 weeks

Payment Terms: T/T

Supply Ability: 1000

Controller: Digital

Power Output: 5-3000 KW

Cooling System: Air/Water Cooled

Speed: 1500/1800 Rpm

Durability: High

CUMMINS Diesel Generator Set is a General Diesel Generator certified by ISO 9001. It has an excellent Power Output of 5-3000 KW with Air/Water Cooled Cooling System and 1500/1800 Rpm Speed. The product is highly durable and is delivered in 3-5 weeks with T/T Payment and Plywood Packing.

Support and Services:

Cummins Diesel Generators Technical Support and Services

Cummins offers a full range of technical support and services for Cummins diesel generators.

Our technical experts can assist you with everything from operational guidance and troubleshooting to repair and maintenance. Our team of highly trained technicians can help you maximize the performance of your Cummins diesel generator.

We offer a wide range of services, including:

On-site service and support

Remote diagnostic and troubleshooting

Parts ordering and delivery

Repair and maintenance services

Training and instruction

We are committed to providing you with the highest level of service and support for your Cummins diesel generator.

If you have any questions or need assistance, please don't hesitate to contact us. We look forward to hearing from you.

...

Packing and Shipping:

Cummins Diesel Generators are shipped in secure containers to ensure that they are protected from the elements during transport. All Cummins Diesel Generators are shipped with necessary accessories and an instruction manual. All Cummins Diesel Generators are packed according to the standards set by the manufacturer and comply with all applicable international shipping regulations.

The packaging for Cummins Diesel Generators includes an outer container that is sealed to keep out moisture and other elements that could damage the generator. Inside the container, the Cummins Diesel Generator is protected with bubble wrap and foam padding to prevent jarring and shock during transport.

Cummins Diesel Generators are shipped via a variety of methods. These include air freight, ocean freight, and ground freight. All shipping methods are chosen based on the size and weight of the generator, as well as the location of the destination. All shipments are tracked and insured to protect against any potential damages or losses.

FAQ:

Q: What is the brand name of Cummins Diesel Generators?

A: The brand name is Cummins Diesel Generators.

Q: What is the model number of the product?

A: The model number is FM100KW.

Q: What is the place of origin?

A: The place of origin is China.

Q: Does the product have a certification?

A: Yes, the product has an ISO9001 certification.

Q: What is the minimum order quantity?

A: The minimum order quantity is 1.

--



ISO CE SGS SASO RELIABLE



ISO CE SGS SASO RELIABLE





ISO CE SGS SASO RELIABLE



Model	Diesel Generator		Diesel Engine		Alternator		Size (mm)	Weight(K G)
	Prime Power (KW/KVA)	Max Power (KW/KVA)	Model	Power (KW)	Model	Power (KW/KVA)		
16GF	16/20	18/22	4B3.9-G1	24	PI144D	16/20	1800×760×1430	780
20GF	20/25	22/28	4B3.9-G1	24	PI144E	20/25	1800×760×1430	800
22GF	22/28	24/30	4B3.9-G1	24	PI144F	22/28	1800×760×1430	830
24GF	24/30	26/33	4BT3.9-G1	36	PI144G	24/30	1800×760×1430	846
28GF	28/35	31/39	4BT3.9-G1	36	PI144H	28/35	1800×760×1430	880
32GF	32/40	35/44	4BT3.9-G1	36	PI144J	32/40	1800×760×1430	896
34GF	34/43	37/47	4BT3.9-G1	36	PI144K	34/43	1800×760×1430	906
40GF	40/50	44/55	4BTA3.9-G2	50	U I224D	40/50	1900×760×1430	1030
48GF	48/60	53/66	4BTA3.9-G2	50	U I224E	48/60	1900×760×1430	1050
58GF	58/73	64/80	6BT5.9-G1	92	U I224F	58/73	2150×830×1496	1215
68GF	68/85	74/94	6BT5.9-G1	92	U I224G	68/85	2150×830×1496	1255
80GF	80/100	88/110	6BT5.9-G1	92	U I274	80/100	2150×830×1496	1300
96GF	96/120	106/132	6BTA5.9-G2	110	U I274D	96/120	2150×830×1496	1335
112GF	112/140	123/154	6BTAA5.9-G2	120	U I274E	112/140	2150×830×1496	1425
128GF	128/160	141/176	6 TA8.3-G2	163	U I274F	128/160	2450×850×1516	1695
144GF	144/180	158/198	6 TA8.3-G2	163	U I274G	144/180	2450×850×1516	1815
160GF	160/200	176/220	6 TAA8.3-G2	183	U I274H	160/200	2540×945×1550	1874
184GF	184/230	202/253	6LTAA8.9-G2	220	U I274J	184/230	2540×945×1550	2020

200GF	200/250	220/275	6LTAA8.9-G2	220	J I274K	200/250	2540×945×1550	2080
240GF	240/300	264/330	NTA855-G1A	261	H I444D	240/300	3150×1120×1630	2970
260GF	260/325	286/358	NTA855-G1B	283	H E444ES	260/325	3100×1100×1635	3198
280GF	280/350	308/385	NTA855-G2A	313	H I444E	280/350	3100×1100×1635	3198
304GF	304/380	334/418	NTAA855-G7	343	H I444FS	304/380	3250×1190×1700	3200
320GF	320/400	352/440	NTAA855-G7A	370	H I444F	320/400	3300×1150×1700	3260
400GF	400/500	440/550	KTA19-G4	457	H I544	400/500	3500×1375×1980	3950
450GF	450/563	495/619	KTAA19-G5	470	H I544D	450/563	3700×1750×2030	4200
500GF	500/625	550/688	KTAA19-G6A	554	H I544FS	500/625	3700×1750×2030	4200
600GF	600/750	660/825	KTA38-G2	664	LV1634B	600/750	4490×1630×2430	7800
640GF	640/800	704/880	KTA38-G2	664	H I634G	640/800	4490×1630×2430	8500
720GF	720/900	792/990	KTA38-G2A	813	H I634H	752/940	4490×1630×2430	8560
800GF	800/1000	880/1100	KTA38-G5	880	H I634J	824/1030	4510×1850×2500	9120
900GF	900/1125	990/1238	KTA38-G9	990	H I634K	900/1125	4850×1850×2500	9400
1000GF	1000/1250	1100/1375	KTA50-G3	1115	PI734A	1008/1260	4950×2080×2560	10120
1200GF	1200/1500	1320/1650	KTA50-G8	1299	PI734	1240/1550	5400×2195×2560	10600



潍坊丰茂动力设备有限公司
Weifang green power equipment co., LTD

Weifang Fengmao Power Equipment Co., Ltd.



8618363646120



fm_dieselgenerator@163.com



enginedieselgenerator.com

Weifang Weicheng Economic Development Zone, Weifang, Shandong, China