CHINA

YUCHAI

1000

Four Stroke Yuchai Genset 30-500kw Diesel Generator Three Phase

Basic Information

- Place of Origin:
- Brand Name:
- Certification: ISO9001
- Model Number: 30-500kw
 Minimum Order 1
- Minimum Order Quantity:
- Price: Negotiable
- Packaging Details: PLYWOOD PACKING
- Payment Terms: T/T
- Supply Ability:



LLI-

iso ce sgs saso

Product Specification

Trademark:	FM
Output Type:	AC Three Phase
Speed:	Speed
Cooling Method:	Water Cooling
Transport Package:	Wood Box
Customization:	Available
• Type:	Self-Starting Diesel Generator
Stroke:	Four Stroke
Highlight:	Four Stroke Yuchai Genset,
	Four Stroke 500kw Diesel Generator,
	Yuchai 500kw Diesel Generator



Four Stroke Yuchai Diesel Generator Electric Start Self-Starting

Product Description:

Yuchai Diesel Generator is a reliable and affordable electrical power source, which is perfect for land use. This generator is equipped with electric start for easy operation, and it also provides a quiet and noise-free environment due to its soundproof generator design. It is water-cooled and offers customizable options to meet different customer needs. Plus, Yuchai Diesel Generator comes with a reasonable price, making it a great deal for all buyers!

Features:

Product Name: Yuchai Diesel Generator Speed: Speed HS Code: 8502110000 Type: Self-Starting Diesel Generator Output Type: AC Three Phase Cooling Method: Water Cooling Special Feature: Trailer Generator, Generator Diesel, Generator Electric

Applications:

The Yuchai Diesel Generator is a great option for those who need reliable power in land use situations. This generator has a brand name of YUCHAI, with a model number of 30-500kw and was made in China. It features a water cooling system and can be customized to fit your needs. It has a speed of speed and a four stroke stroke, making it an excellent choice for trailer generator and generator diesel use. The Yuchai Diesel Generator is well-suited for a variety of land use applications such as residential and commercial use, industrial applications, and even construction sites. It is reliable, durable, and efficient, making it a great choice for those who need reliable power for their operations. It is also an ideal choice for backup power in case of emergencies or outages. Plus, it is easy to install and maintain, making it a great option for those who are looking for a generator that is both reliable and easy to use.

The Yuchai Diesel Generator is a great choice for those who need a reliable, durable, and efficient generator for their land use needs. Whether you need a generator for residential or commercial use, industrial applications, or construction sites, the Yuchai Diesel Generator is a great choice. With its customizable features, reliable power, and easy to install and maintain design, it is an excellent option for those who need reliable power for their operations.

Customization:

Yuchai Diesel Generator

Brand Name: YUCHAI Model Number: 30-500kw Place of Origin: CHINA HS Code: 8502110000 Trademark: FM Cooling Method: Water Cooling Transport Package: Wood Box Output Type: AC Three Phase

Yuchai Diesel Generator offers a reliable and portable generator, generating set solution. It is equipped with water cooling method and comes in a wood box for easy transportation. The output type is AC Three Phase, with a brand name of YUCHAI and a model number of 30-500kw. All of the features make Yuchai Diesel Generator the perfect choice for any power generation needs.

Support and Services:

Yuchai Diesel Generator Technical Support and Service

We offer a comprehensive range of technical support and service for Yuchai Diesel Generator, ensuring that all of our customers get the most out of their products.

Our technical support team is available 24/7 to answer any queries or questions you may have. We offer advice on installation, maintenance, troubleshooting and repairs. We can also provide spare parts and manuals to help you get the most out of your Yuchai Diesel Generator.

Our service team is on hand to provide routine maintenance or repairs. We can carry out repairs in our workshop or at your site, and offer a full range of spare parts. We can also provide custom upgrades and modifications to suit your individual needs.

If you have any questions or queries about Yuchai Diesel Generator, please don't hesitate to get in touch. We look forward to helping you get the most out of your product.

Packing and Shipping:

Packaging and Shipping of Yuchai Diesel Generator

We package Yuchai Diesel Generator with the utmost care to ensure it is secure during shipment. All items are packed in heavy-duty boxes and reinforced with bubble wrap and foam. We use reliable and safe shipping methods to ensure the package is delivered to the destination safely.

For international shipping, we use air freight or sea freight services. We also provide door-to-door or port-to-port services to make it easier for our customers. In addition, we offer full insurance to cover any potential damages or losses due to mishandling or other unexpected circumstances.

We are committed to providing our customers with a safe and reliable packaging and shipping service. Our team of experienced professionals is always available to answer any questions or concerns you may have.

Basic Info.

Model NO.	FMY30GF	Product Description
Conditions of Use	Land Use	Generator Diesel 30kw price with
Usage	Common Units, Standby Unit, Emergency Crew	Yuchai Engine Stamford Alternator three phase 50hz 400V
Landuse Type of Unit	Ordinary	Generator 30kw type Specs
Excitation Mode	AC Rotating Exciter	
Start	Electric Start	
Phase	Three Phase/Single Phase	
Optional	Silent/ATS/Trailer	
Alternator	Stamford Brushless	
Diesel Engine	Yuchai Engine	
Transport Package	Wood Box	
Specification	1600*600*1100	
Trademark	FM	
Origin	China	
HS Code	8502110000	
Production Capacity	1000	
brand	Fengmao Power	
Generator Model	FMY30GF	
Diesel Engine	Yuchai	
Rated	30KW/37.5kva	
Power Factor	0.8	
Start Method	Electric Start	
Voltage	400/230V	
Current	54A	
Phase	three-phase four-wire	
Frequency	50HZ	
Size	1600*600*1300mm	
Weight	500kg	

Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V

Engine Features

Guangxi yuchai engine USES the German FEV technology developed products. The body and cylinder head are made of alloy cast iron, with high degree of reinforcement, with integral forging steel crankshaft, sliding bearing, small volume and light weight, high reliability, and the overhaul period is more than 12000 hours. The unit has the characteristics of compact structure, large power reserve, high reliability and good speed regulation. Terminal unit complete power 20w-1200kw

Introduction to Yuchai engine

manufacturers	China, Guangxi yuchai machine
model	YC4FA55Z-D20
rated power	30KW/37.5KVA
Overload power	35KW/43.8KVA
Number of cylinders/valves	4/8
Cylinder diameter	96mm*103mm
compression ratio	17:1
Total piston displacement	5
rated speed	1500r/min
idle speed	600±50r/min
debug mode	Mechanical/electronic
type of cooling	Forced water circulation
Oil sump capacity	8L
fuel consumption rate	≤198g/kw⋅h±3%

1. Generator parameter

The nonlinear load voltage waveform is less distorted

Strong short circuit endurance The stator winding is impregnated by vacuum pressure and covered with dampproof epoxy insulating paint

The rotor and exciter are treated with high temperature resistant insulating resin paint, which is more suitable for use in bad environment

H grade insulation

The rotor silicon steel plate is mechanically tightened Advanced grease seal long life bearing

remarks: According to the user's demand, the generator can choose wuxi Stanford, Shanghai marathon, jiangsu pilot and other famous brands.

Yuchai Series Generator Specs List

model	powe KW ł		electr icity A	Diesel engine model	num ber of cylin ders	Cylinder diameter mm	lubricatin g oil capacity L	oil wear g/kw.g	The unit size L×W×H	The unit weight kg
FM30 GF	30	37.5	54	YC4FA40Z- D20	4	96*103	8	215	1500*700*1100	500
FM40 GF	40	50	72	YC4FA55Z- D20	4	96*103	8	215	1500*700*1100	550
FM50 GF	50	62.5	90	YC4FA75L- D20	4	96*103	12	215	1800*800*1300	750
FM40 GF	40	50	72	YC4D60-D21	4	108*115	12	215	1700*800*1300	600
FM50 GF	50	62.5	90	YC4D85Z-D20	4	108*115	12	215	1800*800*1300	800
FM60 GF	60	75	108	YC4D90Z-D21	4	108*115	15	215	1800*800*1300	850
FM70 GF	70	87.5	126	YC4A100Z- D20	4	108*125	16	215	1800*800*1300	900
FM100 GF	100	125	180	YC4A140L- D20	4	108*125	16	215	2100*900*1500	800
FM90 GF	90	112. 5	162	YC6B135Z- D20	6	108*125	16	215	2100*900*1500	850
FM100 GF	100	125	180	YC6B155L- D21	6	108*125	16	215	2200*900*1500	950
FM120 GF	120	150	216	YC6B180L- D20	6	108*132	18	215	2200*900*1500	1000
FM140 GF	140	175	252	YC6B205L- D20	6	108*125	18	215	2200*900*1550	1200
FM150 GF	150	187. 5	270	YC6A230L- D20	6	108*132	16	195	2500*1000*1600	1400
FM160 GF	160	200	288	YC6A245L- D21	6	108*132	16	195	2500*1000*1600	1500
FM220 GF	220	275	396	YC6MK350L- D20	6	120*145	25	195	2800*1100*1650	2000
FM250 GF	250	312. 5	450	YC6MK420L- D20	6	123*145	25	195	3000*1100*1700	2200
FM300 GF	300	375	540	YC6MJ480L- D20	6	131*145	25	195	3200*1200*1700	2600
FM350 GF	350	437. 5	630	YC6T550L-D21	6	145*165	50	195	3300*1200*1700	3000
FM400 GF	400	500	720	YC6T600L-D22	6	145*165	50	195	3500*1500*1800	3500
FM450 GF	450	562. 5	810	YC6T660L-D20	6	145*165	50	195	3500*1500*1800	3600
FM500 GF	500	625	900	YC6TD780L- D20	6	145*165	50	195	3600*1600*2100	4200
FM600 GF	600	750	1080	YC6TD840L- D20	6	200*210	50	195	3600*1600*2100	4500
FM650 GF	650	812. 5	1170	YC6C1020L- D20	6	200*210	180	195	4000*1500*2100	5200
FM700 GF	700	875	1260	YC6C1070L- D20	6	200*210	180	195	4200*1600*2100	5600
FM800 GF	800	1000	1440	YC6C1220L- D20	6	200*210	180	195	4600*1800*2500	7600
FM880 GF	880	1100	1584	YC6C1320L- D20	6	200*210	180	195	5200*2150*2600	8000
FM100 0GF	100 0	1250	1800	YC12VC1680L -D20	12	200*210	180	195	5400*2150*2600	8500
FM110 0GF	110 0	1375	1980	YC12VC1680L -D20	12	200*210	180	195	5400*2150*2600	8800
FM120 0GF	120 0	1500	2160	YC12VC2070L -D20	12	200*210	180	195	5400*2150*2600	9000
FM132 0GF	132 0	1650	2376	YC12VC2070L -D20	12	200*210	180	195	5400*2150*2600	10000
FM150 0GF	150 0	1875	2700	YC12VC2070L -D20	12	200*210	180	195	5600*2300*2600	12000
FM160 0GF	160 0	2000	2880	YC12VC2510L -D20	12	200*210	180	195	5600*2300*2600	12500

1. The above technical parameters have a speed of 1500RPM, a frequency of 50HZ, a rated voltage of 400/230v, a power factor of 0.8, and a three-phase four-wire connection.

2. According to customers'	demand,	the	generator	can	choose	famous	brands	such	as	Shanghai	Stanford,	Shanghai
marathon, wuxi Stanford, etc).											

3.60HZ generator sets can be customized according to the special needs of customers. Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V
Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V
Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V
Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V
Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V
Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V

Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V

Standard equipment:	
diesel engine	
alternator	
water cooled radiator	
industrial silencer and flexible exhaust hose	
maintenance-free lead-acid starting batteries and battery connect wires	
output circuit breaker	
digital control panel	
steel base frame	

Generator Diesel 30kw Price with Yuchai Engine Stamford Alternator Three Phase 50Hz 400V

進坊考茂初力设备有限公司 Weifang green power equipment co., LTD
Weifang Fengmao Power Equipment Co., Ltd.

S 8618363646120 The dieselgenerator@163.com C enginedieselgenerator.com

Weifang Weicheng Economic Development Zone, Weifang, Shandong, China