

Energy Efficient Electric Start Water Pump 3000 Rpm Water Pump High Performance

Basic Information

• Place of Origin: **CHINA**

• Brand Name: Water Pump Generator Set

· Certification: ISO9001 • Model Number: FM50GF

• Minimum Order Quantity:

• Price: Negotiable

· Packaging Details: Plywood Package

• Delivery Time: 1-2week • Payment Terms: FOB T/T 1000 · Supply Ability:



Product Specification

· Speed: 3000rpm • Power: 10kW

• Cooling System: Water Cooled

• Start Mode: Electric • Fuel: Diesel

• Product Name: Water Pump Generator Set

· Voltage: 220V • Warranty: 1 Year

• Highlight: Energy Efficient Electric Start Water Pump,

> Energy Efficient 3000 Rpm Water Pump, 3000 Rpm Water Pump High Performance



Our Product Introduction

Efficient Water Pump with Electric Start Mode - 3000rpm Speed for Reliable Performance

Product Description:

Our Water Pump Generator Set is the perfect solution for any application including irrigation and firefighting. This Water Pump Use Generator with Mobile Trailer is designed for maximum efficiency and easy portability. The set has an impressive dimension of 1000*600*800mm, and a voltage of 220V. We are confident in the quality of our product and offer a 1-year warranty on it. This Water Pump Generator Set is a reliable and durable solution for any application. It is designed to provide superior performance and long-lasting reliability. It is easy to operate and maintain, and is designed for maximum efficiency and easy portability. Our Water Pump Generator Set is the perfect choice for any application, from irrigation to firefighting.

We guarantee the quality of our Water Pump Generator Set and provide a 1-year warranty. We are committed to providing the best service and highest quality products to our customers. We strive to ensure that our customers are satisfied with our products and services.

Features:

Water Pump Generator Set Cooling System: Water Cooled

Frequency: 50Hz

Application: Irrigation, Firefighting, Etc.

Power: 10kW Warranty: 1 Year

Applications:

Water Pump Generator Set

Water Pump Generator Set, powered by Diesel Engine Pump Unit Sets, is known for its high quality and reliable performance. The model number of this product is FM50GF, and it has been certified by ISO9001. The minimum order quantity of this product is 1, and the price per unit is 1000USD. The package is made of plywood, which ensures the product's safety during shipment. The delivery time is 1-2 weeks, and the payment terms are FOB T/T. The company can provide at least 1000 pieces of this product per order. The product has a power of 10kW, a noise level of ≤75dB, a speed of 3000rpm, a dimension of 1000*600*800mm and a voltage of 220V.

Customization:

Diesel Engine Pump Unit Water Pump Diesel Generator Set (Model: FM50GF)

Brand Name: Water Pump Generator Set

Model Number: FM50GF Place of Origin: CHINA Certification: ISO9001 Minimum Order Quantity: 1

Price: 1000USD

Packaging Details: Plywood Package

Delivery Time: 1-2week
Payment Terms: FOB T/T
Supply Ability: 1000

Product Name: Water Pump Generator Set

Frequency: 50Hz Speed: 3000rpm Power: 10kW

Cooling System: Water Cooled

Our Diesel Engine Pump Unit Water Pump Diesel Generator Set (Model: FM50GF) is an ideal choice for those looking for a reliable and energy-efficient power solution. It is powered by a Diesel Engine and can provide 10kW of power with a frequency of 50Hz and a speed of 3000rpm. It is ISO9001 certified and comes with a Plywood Package. The minimum order quantity is 1 and the unit is available at a price of 1000USD. Delivery is expected within 1-2 weeks and payment terms are FOB T/T. Our supply ability is 1000 units.

Support and Services:


We provide technical support and services for our Water Pump Generator Set. Our experienced technicians are always available to answer your questions and help with any technical issues. We offer both on-site and remote support, so no matter where you are, we can help. Our technicians have an extensive knowledge base of the product and can provide troubleshooting, maintenance, and installation services. We also have a comprehensive online support portal, full of helpful resources and information about the product. If you ever have any questions or need assistance, please don't hesitate to contact us.

Packing and Shipping:

Packaging and Shipping

The water pump generator set is carefully packaged for maximum protection during shipment. It is packed in a box built from corrugated cardboard, lined with bubble wrap and foam for extra cushioning. The box is sealed with strong adhesive tape to prevent any water from entering the box and damaging the product. It is then placed into a larger shipping box for transit. The larger shipping box is also lined with bubble wrap and foam for additional cushioning. It is sealed with strong adhesive tape for extra protection. A special label is placed on the package so that it can be tracked during transit.

Basic Info.



Producti 1000 Capacity

Diesel pump

Diesel engine water pump to denote powered by diesel engines, pumps by elastic coupling driven by diesel engine, with advanced and reasonable structure, high efficiency, good cavitation

performance, little vibration, low noise, smooth operation, reliable and convenient installation. Type power diesel engine driven pump (or fire pump group) by horizontal centrifugal pump and diesel engine, electrical instruments, such as equipment, installed in a public security closely chassis, through the line of control and signal lines connected to the electric cabinet.

Used for fire fighting standby main pump, called XBC diesel fire pump;

Used for industrial emergency use, such as boiler feed water, high temperature feed water, etc. ZCSB is used for agricultural irrigation in areas without power supply.

Operation requirements

When preparing to start the diesel engine water pump for the first time, check the installation of all equipment and start the engine according to the following requirements:

Inject the engine oil into the diesel engine and pump suspension from the oil inlet and check the oil level with the oil gauge to meet the required height.

Add cooling water from the expansion tank to the diesel engine, and it is advisable to increase the water level to 2/3 of the expansion tank height.

Install diesel fuel in the fuel tank and press the exhaust manual pressure pump to let the diesel oil enter the machine through the filter.

Connect the inlet and outlet pipes and gate valves of the water pump, close the gate valves of the outlet pipes, the outlet pressure gauges and the vacuum pressure gauges;

Water is pumped or vacuumed into water pumps and inlet pipes, and the air inside is emptied. Open the external circulating cooling water valve;

At the inlet valve fully open, the water valve closed cases, starting diesel pumps, when the diesel engine reaches normal speed, then gradually open the valve outlet pipe road, and adjust to the desired operating mode.

8inch 12 Inch Water Pump with Diezel Engine Generator R Set



灌坊丰茂初力设备有限公司 Weifang Fengmao Power Equipment Co., Ltd.



8618363646120



fm_dieselgenerator@163.com



enginedieselgenerator.com