# **Basic Information**

• Place of Origin: **CHINA** 

• Brand Name: Diesel Engine Generator

ISO9001 · Certification: • Model Number: 30-1000KW

• Minimum Order Quantity:

• Price: Negotiable

· Packaging Details: PLYWOOD PACKING

• Delivery Time: 3-5DAYS • Payment Terms: T/T

1000 · Supply Ability:



# **Product Specification**

• Noise Level: ≤75dB

• Alternator Model: Stamford

• Insulation Class: Н

400V/230V Voltage: • Engine Model: Cummins

• Dimension: 3000\*1200\*1800mm

• Frequency: 50Hz/60Hz • Excitation System: Brushless

• Highlight: 230V cummins diesel engine generator,

Stamford Alternator Diesel Engine Generator,

400V low noise diesel generator



Our Product Introduction

## **Product Description:**

Diesel Power Generator Set is a reliable and efficient power solution for your power needs. Our generator set is powered by a high-performance diesel engine of Stamford Alternator Model, and designed to provide excellent power output with 1500rpm/1800rpm speed. It is equipped with advanced Smartgen/Deepsea controller and 400V/230V voltage. Besides, it also has brushless excitation system to ensure reliable performance. This Air Cooled Diesel Generator is produced in China and is widely used in industrial, commercial and residential applications.

#### Features:

Product Name: Diesel Engine Generator

Speed: 1500rpm/1800rpm Noise Level: ≤75dB Frequency: 50Hz/60Hz Excitation System: Brushless Cooling System: Water Cooled

Type: Diesel Generator Sets, CONTAINER TYPE DIESEL GENERATOR SET

## Applications:

Diesel Engine Generator - Maximum Power and Optimum Efficiency

The Diesel Engine Generator is a reliable and durable power generator set that is designed and manufactured with a brand name of Diesel Engine Generator, model number of 30-1000KW, and is certified with ISO9001. It has a minimum order quantity of 1, and prices range from 3000-657000USD. It is packed using plywood packing and has a delivery time of 3-5 days. Payment terms are T/T, and the supply ability is 1000. The frequency is 50Hz/60Hz, the fuel type is diesel, the cooling system is water cooled, insulation class is H, and the dimension is 3000\*1200\*1800mm.

This Diesel Engine Generator is an ideal choice for any power generation need, offering maximum power and optimum efficiency. It is perfect for generator sets, diesel power generator sets, diesel generator parts, and diesel generator systems. The generator set is designed to be highly reliable and durable, with a long service life. It also has low noise and low vibration, making it suitable for a variety of applications, including residential, commercial, and industrial.

This Diesel Engine Generator is an ideal choice for any power generation need, offering maximum power and optimum efficiency. It is perfect for generator sets, diesel power generator sets, diesel generator parts, and diesel generator systems. The generator set is designed to be highly reliable and durable, with a long service life. It also has low noise and low vibration, making it suitable for a variety of applications, including residential, commercial, industrial, agricultural, automotive, marine, and more. It is easy to maintain and operate, and the fuel efficient design helps to reduce operating costs. This generator set is also environmentally friendly, with emissions that meet the most stringent regulations.

The Diesel Engine Generator is a reliable and durable power generator set that is designed and manufactured with superior quality and performance. It offers maximum power and optimal efficiency, making it an ideal choice for any power generation need. The generator set is designed to be highly reliable and durable, with a long service life. It also has low noise and low vibration, making it suitable for a variety of applications.

### **Customization:**

Diesel Engine Generator

Brand Name: Diesel Engine Generator

Model Number: 30-1000KW Place of Origin: CHINA Certification: ISO9001 Minimum Order Quantity: 1 Price: 3000-657000USD

Packaging Details: PLYWOOD PACKING

Delivery Time: 3-5DAYS Payment Terms: T/T Supply Ability: 1000 Insulation Class: H

Alternator Model: Stamford Cooling System: Water Cooled

Frequency: 50Hz/60Hz Protection Grade: IP23

Our Diesel Engine Generator is the perfect choice for your power needs, with itsAir Cooled Diesel Generator, Generator Set Diesel Engine and Air Cooled Diesel Generator. It is ISO 9001 certified and has a minimum order quantity of 1. It comes with a Plywood packing and a delivery time of 3-5 days. It has an insulation class of H and a protection grade of

IP23. The Alternator Model is Stamford and the cooling system is Water Cooled. The frequency is 50Hz/60Hz and the price range is from 3000 to 657000USD. The Supply Ability is 1000. The payment terms are T/T.

## **Support and Services:**

Diesel Engine Generator technical support and service include:

Database creation and maintenance

Software installation and troubleshooting

Parts replacement and repairs

Regular maintenance and inspections

Emergency repair services

## **Packing and Shipping:**

Diesel Engine Generator Packaging and Shipping

The diesel engine generator will be securely packaged to protect it from damage during shipping. The packaging material used will be a polyethylene film bubble wrap and the box will be made of corrugated cardboard. The package will also include a set of instructions for proper operation and maintenance. The package will be sealed with a tamper-evident security seal and labeled with the product name, serial number, weight, and shipping address. The package will then be shipped via a reputable delivery service.

#### FAQ:

Q1: What is the Brand Name of Diesel Engine Generator?

A1: The Brand Name is Diesel Engine Generator.

Q2: What is the Model Number of Diesel Engine Generator?

A2: The Model Number is 30-1000KW.

Q3: Where is the Place of Origin of Diesel Engine Generator?

A3: The Place of Origin is China.

Q4: What is the Certification of Diesel Engine Generator?

A4: The Certification is ISO9001.

Q5: What is the Minimum Order Quantity of Diesel Engine Generator?

A5: The Minimum Order Quantity is 1.

## Weichai Series Diesel Generators Features

In the last 70 years, more than 3 million diesel engines have won the respect and recognition of customers. Weichai Engine overhaul period for an average of 30000 hours the spin to the pennants lightweight air filter, under the beautiful shape of the screw supercharger, to optimize the design of the piping products meet the road the second stage, the three phase motor load ability, meet the requirements of the load mutation mining low noise, small vibration using enhanced fuel injection pump, increase the oil pressure, high temperature, engine experience plateau alpine baptism - 10 ° no auxiliary measures can be successfully started. Supporting power 15KW-1200KW.

10	naine S			mm	L	g/kw.g	L×W×H	kg	
18.	riginio c	Weichai Yangzhou Engine Series							
75	27	WP2.1D18E2	4	85*92	12	195	1600*700*12 00	350	
25	36	WP2.3D25E200	4	90*100	14	195	1600*700*12 50	450	
37. 5	54	WP2.3D33E200	4	90*100	14	195	1700*700*13 50	500	
43. 75	63	WP2.3D40E200	4	90*100	14	195	1700*700*13 50	600	
56. 25	81	WP2.3D48E200	4	90*100	14	195	1800*750*13 50	700	
75	108	WP4.1D66E200	4	105*125	15	195	1800*750*14 50	800	
112 .5	162	WP4.1D100E20 0	4	105*125	16	195	2200*850*15 00	900	
;	5 43. 75 56. 25 75 112	5 54 43. 63 75 63 56. 25 81 75 108 112 162	5 54 WP2.3D33E200 43. 75 63 WP2.3D40E200 56. 81 WP2.3D48E200 75 108 WP4.1D66E200 112 162 WP4.1D100E20	5 54 WP2.3D33E200 4 43. 75 63 WP2.3D40E200 4 56. 25 81 WP2.3D48E200 4 75 108 WP4.1D66E200 4 112 162 WP4.1D100E20 4	5 54 WP2.3D33E200 4 90°100 43. 75 63 WP2.3D40E200 4 90°100 56. 25 81 WP2.3D48E200 4 90°100 75 108 WP4.1D66E200 4 105°125 112 162 WP4.1D100E20 4 105°125	5 54 WP2.3D33E200 4 90*100 14 43. 75 63 WP2.3D40E200 4 90*100 14 56. 25 81 WP2.3D48E200 4 90*100 14 75 108 WP4.1D66E200 4 105*125 15 112 162 WP4.1D100E20 4 105*125 16	5 54 WP2.3D33E200 4 90*100 14 195 43. 75 63 WP2.3D40E200 4 90*100 14 195 56. 25 81 WP2.3D48E200 4 90*100 14 195 75 108 WP4.1D66E200 4 105*125 15 195 112 162 WP4.1D100E20 0 105*125 16 195	5     54     WP2.3D33E200     4     90*100     14     195     50       43. 75     63     WP2.3D40E200     4     90*100     14     195     1700*700*13 50       56. 25     81     WP2.3D48E200     4     90*100     14     195     1800*750*13 50       75     108     WP4.1D66E200     4     105*125     15     195     1800*750*14 50       112 .5     162     WP4.1D100E20 0     4     105*125     16     195     2200*850*15 00	

FM30GF	30	37. 5	54	D226B-3D	3	105*120	15	220	1700*800*12 00	500
FM45GF	45	56. 25	81	TD226B-3D	3	105*120	15	220	1800*800*14 00	550
Weichai S	eries									
FM50K W	50	62. 5	90	WP4D66E200	4	105*130	18	198	1900*900*15 00	720
FM80K W	80	100	144	WP4D100E200	4	105*130	20	198	2100*900*15 00	800
FM100K W	100	125	180	WP4D108E200	4	105*130	20	198	2100*900*15 00	900
FM120K W	120	150	216	WP6D132E200	6	105*130	22	198	2400*900*15 00	1000
FM140K W	140	175	252	WP6D152E200	6	105*130	22	198	2600*1000*1 500	1200
FM150K W	150	187 .5	270	WP6D167E200	6	105*130	22	198	2600*1000*1 500	1200
FM180K W	180	225	324	WP10D200E200	6	126*130	25	198	2800*1200*1 600	1500
FM200K W	200	250	360	WP10D238E200	6	126*130	27	198	2800*1200*1 600	1800
FM250K W	250	312 .5	450	WP10D264E200	6	126*130	27	198	2800*1200*1 600	2000
FM280K W	280	350	504	WP12D317E200	6	126*155	32	198	3000*1250*1 600	2200
FM300K W	300	375	540	WP10D320E200	6	126*155	32	198	3000*1250*1 600	2500
FM350K W	350	437 .5	630	WP13D385E200	6	127*165	32	198	3200*1350*1 700	2800
FM380K W	380	475	684	WP13D405E200	6	127*165	35	198	3200*1350*1 700	3000
FM400K W	400	500	720	WP13D440E310	6	127*165	35	198	3200*1350*1 750	3200
Weichai S	Series									
FM450K W	450	562 .5	810	WHM6160SD51 8-5	6	160*200	48	215	3600*1500*1 800	3800
FM550K W	550	587 .5	990	WHM6160MD62 8-5	6	160*216	48	215	3600*1500*1 800	4000
Weichai E	Baudo	uin Se	eries							
FM400K W	400	500	720	6M26D447E200	6	150*150	60	210	3600*1500*1 800	3600
FM450K W	450	562 .5	810	6M26D484E200	6	150*150	60	210	3600*1500*1 800	4000
FM520K W	520	650	936	6M33D572E200	6	150*185	60	210	3600*1500*1 800	4500
FM550K W	550	687 .5	990	6M33D605E200	6	150*185	60	210	3600*1500*1 850	5000
FM720K W	720	900	1296	12M26D792E20 0	12	150*150	120	210	4500*1850*2 200	7000
FM820K W	820	102 5	1476	12M26D902E20 0	12	150*150	120	210	4500*1850*2 200	7500
FM900K W	900	112 5	1620	12M26D968E20 0	12	150*150	120	210	4600*1850*2 250	8000
FM1000 KW	100 0	125 0	1800	12M33D1108E2 00	12	150*185	135	210	4800*2000*2 400	8600
FM1100 KW	110 0	137 5	1980	12M33D1210E2 00	12	150*185	135	210	4800*2000*2 500	9000









Weifang Weicheng Economic Development Zone, Weifang, Shandong, China