



200kw Cummins Industrial Generators With Brushless **Alternator**

Basic Information

• Place of Origin: **CHINA**

• Brand Name: **Cummins Diesel Generators**

· Certification: ISO9001 FM100KW • Model Number:

• Minimum Order Quantity:

Negotiable • Price:

· Packaging Details: Plywood packing

• Delivery Time: 3-5 weeks

• Payment Terms: T/T 1000 · Supply Ability:



Product Specification

• Power Output: 5-3000 KW

• Fuel Consumption: Low

• Cooling System: Air/Water Cooled

50/60 Hz • Frequency: • Maintenance: Easy • Fuel Type: Diesel • Alternator: Brushless • Emission Standard: **EPA** Certified

• Highlight: 200kw Cummins Industrial Generators,

> **Alternator Cummins Industrial Generators**, Brushless Alternator cummins 200kw generator



Our Product Introduction

Product Description

200kw Generator Price with Cummins 6ltaa8.9-G2 Engine Enclosed Type with ATS

Product Description:

Cummins diesel generators are one of the most reliable general diesel generator sets on the market. With a low fuel consumption, these diesel powered generators are designed to provide a cost-effective and reliable source of electricity. The Cummins diesel generators offer a wide range of options, with emission standard EPA Certified, speed of 1500/1800 Rpm, cooling system either air or water cooled, and frequency of 50/60 Hz. Cummins diesel generators will provide a reliable and efficient power source to ensure your business runs smoothly and safely.

Features:

Cummins Diesel Generators Sets: Durability: High, Noise Level: Low, Frequency: 50/60 Hz, Fuel Type: Diesel, Fuel Consumption: Low Cummins Diesel Truck Engines: Durability: High, Noise Level: Low, Frequency: 50/60 Hz, Fuel Type: Diesel, Fuel Consumption: Low Diesel AC Generator: Durability: High, Noise Level: Low, Frequency: 50/60 Hz, Fuel Type: Diesel, Fuel Consumption: Low

Technical Parameters:

| Attributes | Description | | | | |
|--------------------------------|--|--|--|--|--|
| Fuel Consumption | Low | | | | |
| Frequency | 50/60 Hz | | | | |
| Alternator | Brushless | | | | |
| Noise Level | Low | | | | |
| Voltage | 120/240/480V | | | | |
| Fuel Type | Diesel | | | | |
| Warranty | 1-2 Years | | | | |
| Controller | Digital | | | | |
| Cooling System | Air/Water Cooled | | | | |
| Power Output | 5-3000 KW | | | | |
| Cummins Diesel Generator Parts | Compatible with Cummins Diesel Generators | | | | |
| Diesel Power Generator | Efficient and Reliable Power Output | | | | |
| Diesel Power Generator Parts | High Quality Components for Maximum Durability | | | | |

Applications:

Cummins Diesel Generators are renowned for their superior performance and reliability. The FM100KW model has been engineered to provide high-end power output, low fuel consumption, easy maintenance, and most importantly, EPA certified emission standards. With a power output range between 5-3000 KW and a fuel efficient cooling system, Cummins Diesel Generators offer an economical solution for a variety of applications. This generator set has been certified by ISO9001 and is available in a minimum quantity of 1 set at a price range of US\$ 7500-8500 per set. The generator set is also equipped with an advanced air/water cooled system to ensure optimal performance. Furthermore, the generators come with a plywood packaging and have a delivery time of 3-5 weeks. With an impressive supply capacity of 1000, Cummins Diesel Generators are ideal for commercial, industrial, and marine applications, making them the perfect choice for reliable, economical power generation.

From Cummins Diesel Generator Sets to Cummins Marine Diesel Engines to Cummins Silent Diesel Generators, Cummins provides a wide range of reliable and efficient solutions for power generation. Their advanced technology and high-end features make them the ideal choice for any application, requiring a dependable and cost-effective power source. To ensure the quality of their products, Cummins has obtained ISO9001 certification and offers a minimum order quantity of 1 set. The price range of US\$ 7500-8500 per set includes packaging in a plywood box and the delivery time is 3-5 weeks. Furthermore, the generators boast an impressive supply capacity of 1000.

Customization:

Cummins Diesel Generators – Durable Diesel Power Generator Set

Cummins diesel generators are the perfect choice for reliable, durable and efficient diesel power generator sets. Our Cummins diesel generator sets are certified ISO9001, with a minimum order quantity of 1, and come with a 1-2 year warranty. Our Cummins diesel generators are available in the model FM100KW, with price range of US\$ 7500-8500 per set (FOB Price) and are packed in plywood packing.

Our Cummins diesel generators feature low fuel consumption, high durability and a digital controller with air/water cooled cooling system. You can expect to receive your order within 3-5 weeks upon payment via T/T, with a maximum supply of 1000 units.

Support and Services:

Cummins Diesel Generators Technical Support and Service

Cummins Diesel Generators provides comprehensive technical support and service for all its products. Our team of experienced technicians are available 24/7 to answer any questions and provide assistance with troubleshooting and installation. We offer a variety of diagnostic tools and software to help identify and repair any potential problems. We also provide scheduled maintenance and regular inspections to ensure optimal performance.

At Cummins Diesel Generators, we strive to deliver the best quality products and service. We understand the importance of keeping our customers satisfied and have a commitment to providing timely and efficient service. We are dedicated to providing the best possible experience for our customers and are always available to provide assistance and answer any questions.

Packing and Shipping:

Cummins Diesel Generators Packaging and Shipping

Cummins Diesel Generators are shipped in a secure and safe manner. Each generator is securely packaged in a cardboard box with foam inserts in order to protect the generator from shock and vibration during transport.

The box is labeled with the generator's model and serial number. Once it is packaged, it is delivered to the customer via a trusted shipping company. It is also important to note that the customer is responsible for unloading the generator from the truck at the time of delivery.

FAQ:

Q: What is the brand name of the Cummins Diesel Generators?

A: The brand name is Cummins Diesel Generators

Q: What is the model number of the Cummins Diesel Generators?

A: The model number is FM100KW.

Q: Where is the Cummins Diesel Generators made?

A: The Cummins Diesel Generators are made in China.

Q: Is the Cummins Diesel Generators certified?

A: Yes, the Cummins Diesel Generators are certified with ISO9001.

Q: What is the minimum order quantity?

A: The minimum order quantity is 1.

Cuminss 100 Kw /125 kVA Diesel Generator Max 110kw with Soundproof Canopy Weatherproof for Continuous Work





ISO CE SGS SASO RELIABLE






ISO CE SGS SASO RELIABLE



Cuminss 100 Kw /125 kVA Diesel Generator Max 110kw with Soundproof Canopy Weatherproof for Continuous Work

| Model | Diesel Generator | | Diesel Engine | | Alternator | | Size | Weight(K |
|--------|-------------------------|-----------------------|---------------|---------------|------------|-------------------|----------------|----------|
| | Prime Power (KW/KVA) | Max Power (KW/KVA) | Model | Power (KW) | Model | Power (KW/KVA) | (mm) | (G) |
| 16GF | 16/20 | 18/22 | 4B3.9-G1 | 24 | PI144D | 16/20 | 1800×760×1430 | 780 |
| 20GF | 20/25 | 22/28 | 4B3.9-G1 | 24 | PI144E | 20/25 | 1800×760×1430 | 800 |
| 22GF | 22/28 | 24/30 | 4B3.9-G1 | 24 | PI144F | 22/28 | 1800×760×1430 | 830 |
| 24GF | 24/30 | 26/33 | 4BT3.9-G1 | 36 | PI144G | 24/30 | 1800×760×1430 | 846 |
| 28GF | 28/35 | 31/39 | 4BT3.9-G1 | 36 | PI144H | 28/35 | 1800×760×1430 | 880 |
| 32GF | 32/40 | 35/44 | 4BT3.9-G1 | 36 | PI144J | 32/40 | 1800×760×1430 | 896 |
| 34GF | 34/43 | 37/47 | 4BT3.9-G1 | 36 | PI144K | 34/43 | 1800×760×1430 | 906 |
| 40GF | 40/50 | 44/55 | 4BTA3.9-G2 | 50 | U I224D | 40/50 | 1900×760×1430 | 1030 |
| 48GF | 48/60 | 53/66 | 4BTA3.9-G2 | 50 | U I224E | 48/60 | 1900×760×1430 | 1050 |
| 58GF | 58/73 | 64/80 | 6BT5.9-G1 | 92 | U I224F | 58/73 | 2150×830×1496 | 1215 |
| 68GF | 68/85 | 74/94 | 6BT5.9-G1 | 92 | U I224G | 68/85 | 2150×830×1496 | 1255 |
| 80GF | 80/100 | 88/110 | 6BT5.9-G1 | 92 | U I274 | 80/100 | 2150×830×1496 | 1300 |
| 96GF | 96/120 | 106/132 | 6BTA5.9-G2 | 110 | U I274D | 96/120 | 2150×830×1496 | 1335 |
| 112GF | 112/140 | 123/154 | 6BTAA5.9-G2 | 120 | U I274E | 112/140 | 2150×830×1496 | 1425 |
| 128GF | 128/160 | 141/176 | 6 TA8.3-G2 | 163 | U I274F | 128/160 | 2450×850×1516 | 1695 |
| 144GF | 144/180 | 158/198 | 6 TA8.3-G2 | 163 | U I274G | 144/180 | 2450×850×1516 | 1815 |
| 160GF | 160/200 | 176/220 | 6 TAA8.3-G2 | 183 | U I274H | 160/200 | 2540×945×1550 | 1874 |
| 184GF | 184/230 | 202/253 | 6LTAA8.9-G2 | 220 | U I274J | 184/230 | 2540×945×1550 | 2020 |
| 200GF | 200/250 | 220/275 | 6LTAA8.9-G2 | 220 | J I274K | 200/250 | 2540×945×1550 | 2080 |
| 240GF | 240/300 | 264/330 | NTA855-G1A | 261 | H I444D | 240/300 | 3150×1120×1630 | 2970 |
| 260GF | 260/325 | 286/358 | NTA855-G1B | 283 | H E444ES | 260/325 | 3100×1100×1635 | 3198 |
| 280GF | 280/350 | 308/385 | NTA855-G2A | 313 | H 1444E | 280/350 | 3100×1100×1635 | 3198 |
| 304GF | 304/380 | 334/418 | NTAA855-G7 | 343 | H I444FS | 304/380 | 3250×1190×1700 | 3200 |
| 320GF | 320/400 | 352/440 | NTAA855-G7A | 370 | H I444F | 320/400 | 3300×1150×1700 | 3260 |
| 400GF | 400/500 | 440/550 | KTA19-G4 | 457 | H I544 | 400/500 | 3500×1375×1980 | 3950 |
| 450GF | 450/563 | 495/619 | KTAA19-G5 | 470 | H I544D | 450/563 | 3700×1750×2030 | 4200 |
| 500GF | 500/625 | 550/688 | KTAA19-G6A | 554 | H I544FS | 500/625 | 3700×1750×2030 | 4200 |
| 600GF | 600/750 | 660/825 | KTA38-G2 | 664 | LVI634B | 600/750 | 4490×1630×2430 | 7800 |
| 640GF | 640/800 | 704/880 | KTA38-G2 | 664 | H I634G | 640/800 | 4490×1630×2430 | 8500 |
| 720GF | 720/900 | 792/990 | KTA38-G2A | 813 | H I634H | 752/940 | 4490×1630×2430 | 8560 |
| 800GF | 800/1000 | 880/1100 | KTA38-G5 | 880 | H 1634J | 824/1030 | 4510×1850×2500 | 9120 |
| 900GF | 900/1125 | 990/1238 | KTA38-G9 | 990 | H 1634K | 900/1125 | 4850×1850×2500 | 9400 |
| 1000GF | 1000/1250 | 1100/1375 | KTA50-G3 | 1115 | PI734A | 1008/1260 | 4950×2080×2560 | 10120 |
| 1200GF | 1200/1500 | 1320/1650 | KTA50-G8 | 1299 | PI734 | 1240/1550 | 5400×2195×2560 | 10600 |

Cuminss 100 Kw /125 kVA Diesel Generator Max 110kw with Soundproof Canopy Weatherproof for Continuous Work Cuminss 100 Kw /125 kVA Diesel Generator Max 110kw with Soundproof Canopy Weatherproof for Continuous Work Cuminss 100 Kw /125 kVA Diesel Generator Max 110kw with Soundproof Canopy Weatherproof for Continuous Work Cuminss 100 Kw /125 kVA Diesel Generator Max 110kw with Soundproof Canopy Weatherproof for Continuous Work



雕坊丰茂动力设备有限公司 Weifang Fengmao Power Equipment Co., Ltd. Weifang reen power equipment co., Ltd.



8618363646120



fm_dieselgenerator@163.com



enginedieselgenerator.com

Weifang Weicheng Economic Development Zone, Weifang, Shandong, China