Cummins Diesel Generators

Cummins 50kw Diesel Generator 10kw 20kw 30kw 40kw High Efficiency Diesel Generator

Basic Information

- Place of Origin:
- Brand Name:
- Certification: ISO9001

CHINA

1

1000

- Model Number: FM1500KW
- Minimum Order
 Quantity:
- Price: Negotiable
- Packaging Details: Plywood packing
- Delivery Time: 3-5 weeks
- Payment Terms: T/T
- Supply Ability:



LLI-

ISO CE SGS SASO

Product Specification

| • Engringrit. | Efficiency , 40kw High Efficiency Diesel Generator | | | | |
|-----------------|---|--|--|--|--|
| Highlight: | Cummins 50kw Diesel Generator High | | | | |
| Maintenance: | Easy | | | | |
| Controller: | Digital | | | | |
| Power Output: | 5-3000 KW | | | | |
| • Fuel Type: | Diesel | | | | |
| Cooling System: | Air/Water Cooled | | | | |
| • Frequency: | 50/60 Hz | | | | |
| • Warranty: | 1-2 Years | | | | |
| • Speed: | 1500/1800 Rpm | | | | |
| | | | | | |



More Images



Our Product Introduction

Product Description

Product Description:

Cummins Diesel Generators are the perfect solution for reliable and efficient power generation. Built with Cummins diesel engines, these generators are powered by reliable and efficient diesel fuel, ensuring maximum power output with minimal fuel consumption. The frequency range is 50/60 Hz, and the power output ranges from 5 KW to 3000 KW. All generators come with a brushless alternator, providing high durability and performance. The Cummins Diesel Generators come with a warranty of 1-2 years, ensuring customer satisfaction and peace of mind. Furthermore, Cummins diesel engine parts are well-known for their reliability and quality. Cummins Diesel Generators are the perfect solution for reliable and efficient power generation.

Features:

Product Name: Cummins Diesel Generators Warranty: 1-2 Years Emission Standard: EPA Certified Fuel Type: Diesel Controller: Digital Maintenance: Easy Diesel Powered Generator Diesel Generator Parts

Technical Parameters:

| Attribute | Specification | | | | | |
|--------------------------------|------------------|--|--|--|--|--|
| Warranty | 1-2 Years | | | | | |
| Frequency | 50/60 Hz | | | | | |
| Durability | High | | | | | |
| Fuel Type | Diesel | | | | | |
| Fuel Consumption | Low | | | | | |
| Maintenance | Easy | | | | | |
| Cooling System | Air/Water Cooled | | | | | |
| Controller | Digital | | | | | |
| Speed | 1500/1800 Rpm | | | | | |
| Alternator | Brushless | | | | | |
| Cummins Diesel Truck Engines | Yes | | | | | |
| Cummins Diesel Generator Parts | Yes | | | | | |

Applications:

Cummins Diesel Generators offers a wide variety of diesel generators for a variety of applications. The FM100KW model is a reliable and robust diesel engine built to provide excellent power output and fuel efficiency. It is certified by ISO9001 and comes with a minimum order quantity of 1. It is priced at US\$ 7500-8500/Set (FOB Price) and is packed in Plywood packing for safe delivery. It is delivered to customers within 3-5 weeks of order confirmation. The payment terms are T/T. The generator set has an impressive supply ability of 1000 sets. It features a brushless alternator and is capable of providing 120/240/480V of power. It is highly durable and has a low fuel consumption rate. It operates at a speed of 1500/1800 Rpm and is the ideal choice for industrial and marine applications.

Customization:

Cummins Diesel Generators

Brand Name: Cummins Diesel Generators Model Number: FM100KW Place of Origin: CHINA

more products please visit us on enginedieselgenerator.com

Certification: ISO9001 Minimum Order Quantity: 1 Price: US\$ 7500-8500 / Set(FOB Price) Packaging Details: Plywood packing Delivery Time: 3-5 weeks Payment Terms: T/T Supply Ability: 1000 Warranty: 1-2 Years Frequency: 50/60 Hz Durability: High Cooling System: Air/Water Cooled Fuel Type: Diesel Diesel Power Generator Set

Cummins Diesel Generators are perfect for your Diesel Power Generator Set needs. With quality guaranteed Certification: ISO9001, reliable Supply Ability of 1000, and high Durability, these Electric Diesel Generators will provide you with reliable power for a long time.

Support and Services:

Cummins Diesel Generators Technical Support and Service

Cummins Diesel Generators provide reliable, powerful and cost-effective solutions for a wide range of applications. Our technical support and service teams are dedicated to providing the best quality service and support for all Cummins Diesel Generators products. Technical Support

We provide technical support for all Cummins Diesel Generators products. Our knowledgeable and experienced technicians can help you with any questions or issues you may have. We are available by phone, email, or online chat. Service and Maintenance

We provide comprehensive maintenance and service plans for all Cummins Diesel Generators products. Our technicians can help you with regular maintenance and inspections, as well as troubleshooting and repairs. We also offer emergency services for urgent needs. Parts and Accessories

We provide a wide range of genuine Cummins Diesel Generators parts and accessories. Our parts are designed to ensure the highest quality and performance, and are backed by our industry-leading warranty.

Packing and Shipping:

Cummins Diesel Generators are packaged and shipped using the following methods: Crate packaging: Generators are securely fastened within a wooden crate to prevent damage during shipping. Palletized packaging: Generators are placed onto a pallet and shrink-wrapped to ensure safe transport. Containerized shipping: Generators are loaded into a 20 or 40-foot container and shipped via sea or rail.

FAQ:

Questions & Answers regarding Cummins Diesel Generators

Q1: What is the brand name?

A1: The brand name is Cummins Diesel Generators.

Q2: What is the model number?

A2: The model number is FM100KW.

Q3: Where is the place of origin?

A3: The place of origin is CHINA. Q4: What is the certification?

A4: The certification is ISO9001.

Q5: What is the minimum order quantity?

A5: The minimum order quantity is 1.

Weichai Series Diesel Generators Features

In the last 70 years, more than 3 million diesel engines have won the respect and recognition of customers. Weichai Engine overhaul period for an average of 30000 hours the spin to the pennants lightweight air filter, under the beautiful shape of the screw supercharger, to optimize the design of the piping products meet the road the second stage, the three phase motor load ability, meet the requirements of the load mutation mining low noise, small vibration using enhanced fuel injection pump, increase the oil pressure, high temperature, engine experience plateau alpine baptism - 10 ° no auxiliary measures can be successfully started. Supporting power 15KW-1200KW.

Rat Rat

| Genset Model | ed Po wer KW | ed Po wer KV A | Curr ent A | Diesel Engine | Cylin der No | Bore*Str oke mm | Ca pty L | Consumpti on g/kw.g | Size L×W×H | Weig ht kg |
|-----------------------|-----------------------|----------------------------|------------------|--------------------|--------------------|-----------------------|----------------|---------------------------|-----------------------------------|------------------|
| Weichai Y | (angz | | naine S | Series | | | | | | |
| FM15GF | 15 | 18. 75 | 27 | WP2.1D18E2 | 4 | 85*92 | 12 | 195 | 1600*700*12 00 | 350 |
| FM20GF | 20 | 25 | 36 | WP2.3D25E200 | 4 | 90*100 | 14 | 195 | 1600*700*12 50 | 450 |
| FM30GF | 30 | 37. 5 | 54 | WP2.3D33E200 | 4 | 90*100 | 14 | 195 | 1700*700*13 50 | 500 |
| FM35GF | 35 | 43. 75 | 63 | WP2.3D40E200 | 4 | 90*100 | 14 | 195 | 1700*700*13 50 | 600 |
| FM45GF | 45 | 56. 25 | 81 | WP2.3D48E200 | 4 | 90*100 | 14 | 195 | 1800*750*13 50 | 700 |
| FM60GF | 60 | 75 | 108 | WP4.1D66E200 | 4 | 105*125 | 15 | 195 | 1800*750*14 50 | 800 |
| FM90GF | | 112 .5 | 162 | WP4.1D100E20 0 | 4 | 105*125 | 16 | 195 | 2200*850*15 00 | 900 |
| Weichai E | Deut 3 | Cylin | ders Se | eries | | | | | | |
| FM30GF | 30 | 37. 5 | 54 | D226B-3D | 3 | 105*120 | 15 | 220 | 1700*800*12 00 | 500 |
| FM45GF | 45 | 56. 25 | 81 | TD226B-3D | 3 | 105*120 | 15 | 220 | 1800*800*14 00 | 550 |
| Weichai S | Series | | | | | | | | | |
| FM50K W | 50 | 62. 5 | 90 | WP4D66E200 | 4 | 105*130 | 18 | 198 | 1900*900*15 00 | 720 |
| FM80K W | 80 | 100 | 144 | WP4D100E200 | 4 | 105*130 | 20 | 198 | 2100*900*15 00 | 800 |
| FM100K W | 100 | 125 | 180 | WP4D108E200 | 4 | 105*130 | 20 | 198 | 2100*900*15 00 | 900 |
| FM120K W | 120 | 150 | 216 | WP6D132E200 | 6 | 105*130 | 22 | 198 | 2400*900*15 00 | 1000 |
| FM140K W | 140 | 175 | 252 | WP6D152E200 | 6 | 105*130 | 22 | 198 | 2600*1000*1 500 | 1200 |
| FM150K W | 150 | 187 .5 | 270 | WP6D167E200 | 6 | 105*130 | 22 | 198 | 2600*1000*1 500 | 1200 |
| FM180K W FM200K | 180 | 225 | 324 | WP10D200E200 | 6 | 126*130 | 25 | 198 | 2800*1200*1 600 | 1500 |
| FM200K W FM250K | 200 | 250 312 | 360 | WP10D238E200 | 6 | 126*130 | 27 | 198 | 2800*1200*1 600 2800*1200*1 | 1800 |
| W FM280K | 250 | .5 | 450 | WP10D264E200 | | 126*130 | 27 | 198 | 600 3000*1250*1 | 2000 |
| W FM300K | 280 | 350 | 504 | WP12D317E200 | | 126*155 | 32 | 198 | 600 3000*1250*1 | 2200 |
| W FM350K | 300 | 375 437 | 540 | WP10D320E200 | | 126*155 | 32 | 198 | 600 3200*1350*1 | 2500 |
| W FM380K | 350 | .5 | 630 | WP13D385E200 | | 127*165 | 32 | 198 | 700 3200*1350*1 | 2800 |
| W FM400K | 380 | 475 | 684 | WP13D405E200 | | 127*165 | 35 | 198 | 700 3200*1350*1 | 3000 |
| W Weichai S | 400 Series | 500 | 720 | WP13D440E310 | 6 | 127*165 | 35 | 198 | 750 | 3200 |
| | | 1 | | WHMELEOSDEL | | | | | 3600*1500*1 | |
| FM450K W | 450 | 562 .5 | 810 | WHM6160SD51 8-5 | 6 | 160*200 | 48 | 215 | 3600*1500*1 800 | 3800 |
| FM550K | 550 | 587 | aan | WHM6160MD62 | 6 | 160*216 | 48 | 215 | 3600*1500*1 | 4000 |

| W | 000 | .5 | 550 | 8-5 | 0 | 100 210 | | 210 | 800 | -000 |
|-------------------------|----------|-----------|------|--------------------|----|---------|-----|-----|--------------------|------|
| Weichai Baudouin Series | | | | | | | | | | |
| FM400K W | 400 | 500 | 720 | 6M26D447E200 | 6 | 150*150 | 60 | 210 | 3600*1500*1 800 | 3600 |
| FM450K W | 450 | 562 .5 | 810 | 6M26D484E200 | 6 | 150*150 | 60 | 210 | 3600*1500*1 800 | 4000 |
| FM520K W | 520 | 650 | 936 | 6M33D572E200 | 6 | 150*185 | 60 | 210 | 3600*1500*1 800 | 4500 |
| FM550K W | 550 | 687 .5 | 990 | 6M33D605E200 | 6 | 150*185 | 60 | 210 | 3600*1500*1 850 | 5000 |
| FM720K W | 720 | 900 | 1296 | 12M26D792E20 0 | 12 | 150*150 | 120 | 210 | 4500*1850*2 200 | 7000 |
| FM820K W | 820 | 102 5 | 1476 | 12M26D902E20 0 | 12 | 150*150 | 120 | 210 | 4500*1850*2 200 | 7500 |
| FM900K W | 900 | 112 5 | 1620 | 12M26D968E20 0 | 12 | 150*150 | 120 | 210 | 4600*1850*2 250 | 8000 |
| FM1000 KW | 100 0 | 125 0 | 1800 | 12M33D1108E2 00 | 12 | 150*185 | 135 | 210 | 4800*2000*2 400 | 8600 |
| FM1100 KW | 110 0 | 137 5 | 1980 | 12M33D1210E2 00 | 12 | 150*185 | 135 | 210 | 4800*2000*2 500 | 9000 |

Sef18363646120 The_dieselgenerator@163.com Construction enginedieselgenerator.com

Weifang Weicheng Economic Development Zone, Weifang, Shandong, China