50kva To 200kva Cummins Diesel Generators 50Hz/60Hz 50kw 80kw 100kw

Basic Information

• Place of Origin: **CHINA**

• Brand Name: **Cummins Diesel Generators**

· Certification: ISO9001 FM1500KW • Model Number:

• Minimum Order Quantity:

Negotiable • Price:

· Packaging Details: Plywood packing

• Delivery Time: 3-5 weeks

• Payment Terms: T/T 1000 · Supply Ability:



Product Specification

· Speed: 1500/1800 Rpm

• Warranty: 1-2 Years • Frequency: 50/60 Hz

• Cooling System: Air/Water Cooled

• Fuel Type: Diesel 5-3000 KW • Power Output: • Controller: Digital • Maintenance: Easy

• Highlight: 200kva Cummins Diesel Generators,

> Cummins Diesel Generators 50Hz, 200kva Diesel Generator 50Hz



More Images



Product Description

With Cummins Perkins power engine 50kva 80kva 100kva 125kva 150kva 200kva diesel generator 50Hz/60Hz 50kw 80kw 100kw gen

Product Description:

Cummins Diesel Generators are the perfect solution for reliable and efficient power generation. Built with Cummins diesel engines, these generators are powered by reliable and efficient diesel fuel, ensuring maximum power output with minimal fuel consumption. The frequency range is 50/60 Hz, and the power output ranges from 5 KW to 3000 KW. All generators come with a brushless alternator, providing high durability and performance. The Cummins Diesel Generators come with a warranty of 1-2 years, ensuring customer satisfaction and peace of mind. Furthermore, Cummins diesel engine parts are well-known for their reliability and quality. Cummins Diesel Generators are the perfect solution for reliable and efficient power generation.

Features:

Product Name: Cummins Diesel Generators

Warranty: 1-2 Years

Emission Standard: EPA Certified

Fuel Type: Diesel
Controller: Digital
Maintenance: Easy
Diesel Powered Generator
Diesel Generator Parts

Technical Parameters:

Attribute	Specification				
Warranty	1-2 Years				
Frequency	50/60 Hz				
Durability	High				
Fuel Type	Diesel				
Fuel Consumption	Low				
Maintenance	Easy				
Cooling System	Air/Water Cooled				
Controller	Digital				
Speed	1500/1800 Rpm				
Alternator	Brushless				
Cummins Diesel Truck Engines	Yes				
Cummins Diesel Generator Parts	Yes				

Applications:

Cummins Diesel Generators offers a wide variety of diesel generators for a variety of applications. The FM100KW model is a reliable and robust diesel engine built to provide excellent power output and fuel efficiency. It is certified by ISO9001 and comes with a minimum order quantity of 1. It is priced at US\$ 7500-8500/Set (FOB Price) and is packed in Plywood packing for safe delivery. It is delivered to customers within 3-5 weeks of order confirmation. The payment terms are T/T. The generator set has an impressive supply ability of 1000 sets. It features a brushless alternator and is capable of providing 120/240/480V of power. It is highly durable and has a low fuel consumption rate. It operates at a speed of 1500/1800 Rpm and is the ideal choice for industrial and marine applications.

Customization:

Cummins Diesel Generators

Brand Name: Cummins Diesel Generators

Model Number: FM100KW Place of Origin: CHINA Certification: ISO9001 Minimum Order Quantity: 1

Price: US\$ 7500-8500 / Set(FOB Price)
Packaging Details: Plywood packing

Delivery Time: 3-5 weeks Payment Terms: T/T Supply Ability: 1000 Warranty: 1-2 Years Frequency: 50/60 Hz Durability: High

Cooling System: Air/Water Cooled

Fuel Type: Diesel

Diesel Power Generator Set

Cummins Diesel Generators are perfect for your Diesel Power Generator Set needs. With quality guaranteed Certification: ISO9001, reliable Supply Ability of 1000, and high Durability, these Electric Diesel Generators will provide you with reliable power for a long time.

Support and Services:

Cummins Diesel Generators Technical Support and Service

Cummins Diesel Generators provide reliable, powerful and cost-effective solutions for a wide range of applications. Our technical support and service teams are dedicated to providing the best quality service and support for all Cummins Diesel Generators products. Technical Support

We provide technical support for all Cummins Diesel Generators products. Our knowledgeable and experienced technicians can help you with any questions or issues you may have. We are available by phone, email, or online chat.

Service and Maintenance

We provide comprehensive maintenance and service plans for all Cummins Diesel Generators products. Our technicians can help you with regular maintenance and inspections, as well as troubleshooting and repairs. We also offer emergency services for urgent needs.

We provide a wide range of genuine Cummins Diesel Generators parts and accessories. Our parts are designed to ensure the highest quality and performance, and are backed by our industry-leading warranty.

Packing and Shipping:

Cummins Diesel Generators are packaged and shipped using the following methods:

Crate packaging: Generators are securely fastened within a wooden crate to prevent damage during shipping.

Palletized packaging: Generators are placed onto a pallet and shrink-wrapped to ensure safe transport.

Containerized shipping: Generators are loaded into a 20 or 40-foot container and shipped via sea or rail.

FAQ:

Questions &	Answers	regarding	Cummins	Diesel	Generators

Q1: What is the brand name?

A1: The brand name is Cummins Diesel Generators.

Q2: What is the model number?

A2: The model number is FM100KW.

Q3: Where is the place of origin?

A3: The place of origin is CHINA.

Q4: What is the certification?

A4: The certification is ISO9001.

Q5: What is the minimum order quantity? A5: The minimum order quantity is 1.

Weichai Series Diesel Generators Features

In the last 70 years, more than 3 million diesel engines have won the respect and recognition of customers. Weichai Engine overhaul period for an average of 30000 hours the spin to the pennants lightweight air filter, under the beautiful shape of the screw supercharger, to optimize the design of the piping products meet the road the second stage, the three phase motor load ability, meet the requirements of the load mutation mining low noise, small vibration using enhanced fuel injection pump, increase the oil pressure, high temperature, engine experience plateau alpine baptism - 10 ° no auxiliary measures can be successfully started. Supporting power 15KW-1200KW.

FM20GF 20 25 36 WP2.3D25E200 4 90*100 14 195 1600*700*12 450 FM30GF 30 37. 54 WP2.3D36E200 4 90*100 14 195 1700*700*13 500 FM35GF 35 43. 75 63 WP2.3D46E200 4 90*100 14 195 1700*700*13 500 FM45GF 45 56. 25 81 WP2.3D48E200 4 90*100 14 195 1800*750*14 800 FM60GF 60 75 108 WP4.1D66E200 4 105*125 15 195 1800*750*14 800 FM90GF 90 112 162 WP4.1D100E20 4 105*125 16 195 2200*850*15 900 Weichai Deut 3 Cylinders Series FM30GF 30 37. 54 D226B-3D 3 105*120 15 220 1700*800*12 500 Weichai Series FM50K 50 56. 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 WW Self-Mai Series FM50K 50 55 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 WW Weichai Series FM100K 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 900 FM100K WW Self-Mai Series FM1100K WW Self-Mai Series FM1100K WW Self-Mai Series FM1100K 100 125 180 WP4D108E200 6 105*130 22 198 2600*1000*1 120 FM1100K WW Self-Mai Series FM1100K 100 125 180 WP4D108E200 6 105*130 22 198 2600*1000*1 120 FM1100K WW Self-Mai Series FM1100K 100 125 180 WP4D108E200 6 105*130 22 198 2600*1000*1 120 FM1100K WW Self-Mai Series FM150K 150 5.5 270 WP6D152E200 6 105*130 22 198 2600*1000*1 120 FM1100K WW Self-Mai Series FM150K 150 5.5 24 WP6D152E200 6 105*130 22 198 2600*1000*1 120 FM1100K WW Self-Mai Series FM150K 20 250 360 WP10D238E200 6 126*130 27 198 2600*1000*1 120 FM180K 20 250 360 WP10D238E200 6 126*130 27 198 2600*1200*1 120 FM180K 20 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM180K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D230E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D230E200 6 126*130 27 198 2800*1200*1 120 FM300K 20 350 504 WP10D230E200 6 126	Model Weichai	ed Po wer	Ро				Boro*Str	OII	1 401		Waia
Welchal Yangzhou Engine Series	Weichai \			ent	Diesel Engine	1				Size	_
Weichal Yangzhou Engine Series FM15GF 15 18 27 WP2.1D18E2 4 85°92 12 195 1600°700°12 35°0 FM20GF 20 25 36 WP2.3D25E200 4 90°100 14 195 1600°700°12 45°0 FM30GF 30 37 54 WP2.3D303E200 4 90°100 14 195 1700°700°13 50° FM36GF 35 43 30 WP2.3D40E200 4 90°100 14 195 1800°750°13 60° FM46GF 45 56 81 WP2.3D48E200 4 90°100 14 195 1800°750°13 70° FM60GF 60 75 108 WP4.1D66E200 4 105°125 15 195 1800°750°14 80° FM90GF 90 112 52 162°0°850°15 90° 90° 90° 90° 90° 90° 90° 90° 90° 90° 90°		1744	KV	А		No	mm	L	g/kw.g	L×W×H	kg
FM15GF 15 75 27 WP2.1D18E2 4 85°92 12 195 00 350 FM2.0GF 20 25 36 WP2.3D25E200 4 90°100 14 195 1600°700°12 450 FM30GF 30 37 54 WP2.3D33E200 4 90°100 14 195 1700°700°13 500 FM36GF 35 43 63 WP2.3D40E200 4 90°100 14 195 1700°700°13 600 FM36GF 45 56 81 WP2.3D48E200 4 90°100 14 195 1800°750°13 700 FM60GF 60 75 108 WP4.1D66E200 4 105°125 15 195 1800°750°14 800 FM90GF 90 152 162 WP4.1D100E20 4 105°125 16 195 2200°850°15 900 Welchal Dell 3 Cylinders Series FM30GF 30 37 5 54 D226B-3D 3 105°120 15 220 1800°800°14 550 Welchal Series FM30GF 55 90 WP4.0B6E200 4 105°130 18 198 1900°900°15 720 Welchal Series FM50GF 80 55 90 WP4.0B6E200 4 105°130 20 198 2100°900°15 720 Melchal Series FM50GF 80 50 62 90 WP4.0B6E200 4 105°130 20 198 2100°900°15 800 Welchal Series FM50GF 80 50 62 WP4.0B6E200 6 105°130 22 198 2600°1000°1 120 FM100K W 50 150 216 WP6.0B2200 6 105°130 22 198 2600°1000°1 120 FM110K W 140 175 252 WP6.0B2200 6 105°130 22 198 2600°1000°1 120 FM110K W 150 187 270 WP6.0B2200 6 105°130 22 198 2600°1000°1 120 FM110K W 150 187 270 WP6.0B2200 6 105°130 22 198 2600°1000°1 120 FM110K W 150 187 270 WP6.0B2200 6 126°130 22 198 2600°1000°1 120 FM150K W 150 187 270 WP6.0B2200 6 126°130 27 198 2800°1200°1 120 FM150K W 250 360 WP10.0264E200 6 126°130 27 198 2800°1200°1 120 FM150K W 250 360 WP10.0264E200 6 126°130 27 198 2800°1200°1 120 FM150K W 250 360 WP10.0264E200 6 126°130 27 198 2800°1200°1 120 FM150K W 250 360 WP10.0264E200 6 126°130 27 198 2800°1200°1 120 FM250K W 250 360 WP10.0264E200 6 126°130 27 198 2800°1200°1 120 FM350K W 350 376 630 WP10.0365E200 6 126°130 27 198 3000°1250°1 200 FM350K W 350 376 630 WP10.0365E200 6 126°135 32 198 3000°1250°1 200 FM350K W 350 376 630 WP10.0365E200 6 126°135 32 198 3000°1250°1 200 FM350K W 350 376 630 WP10.0365E200 6 126°135 35 198 3000°1350°1 200 FM350K W 350 375 640 WP10.0360E200 6 126°135 35 198 3000°1350°1 200 FM350K W 350 375 640 WP10.0360E200 6 126°135 35 198 3000°1350°1 200 FM350K W 350 370 070 070 070 070 070 070 070 070 07	FM15GF	⁄angzl		ngine S	Series						
FM30GF 20 25 36 WP2.3D25E200 4 90*100 14 195 50 450 FM30GF 30 3 5 5 54 WP2.3D30E200 4 90*100 14 195 1700*700*13 500 FM35GF 35 43. 75 63 WP2.3D40E200 4 90*100 14 195 1700*700*13 500 FM45GF 45 56. 25 81 WP2.3D40E200 4 90*100 14 195 1800*750*14 800 FM60GF 60 75 108 WP4.1D100E200 4 105*125 15 195 1800*750*14 800 FM90GF 90 152 162 WP4.1D100E200 4 105*125 16 195 2200*850*15 90 Weichal Deut 3 Cylinders Series FM30GF 30 37. 5 4 D226B-3D 3 105*120 15 220 1700*800*12 500 Weichal Series FM50K 50 52 82 81 TD226B-3D 3 105*120 15 220 1700*800*14 550 Weichal Series FM50K 80 100 144 WP4D100E200 4 105*130 20 198 1900*900*15 720 Weichal Series FM50K 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 900 FM50K 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 900 FM10K 120 150 216 WP6D132E200 6 105*130 22 198 2600*1000*1 120 FM150K W 150 187 270 WP6D157E200 6 105*130 22 198 2600*1000*1 120 FM150K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM50K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM250K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM250K W 200 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM250K W 200 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM250K W 200 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM350K W 200 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM350K W 200 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM350K W 200 350 504 WP10D238E200 6 126*130 27 198 2800*1200*1 1500 FM350K W 200 350 504 WP10D230E200 6 126*130 27 198 3000*1250*1 200 FM350K W 350 437 630 WP13D385E200 6 126*155 32 198 3000*1250*1 200 FM350K W 350 437 630 WP13D385E200 6 126*155 32 198 3000*1250*1 200 FM350K W 350 437 630 WP13D385E200 6 126*155 32 198 3000*1250*1 200 FM350K W 350 437 630 WP13D385E200 6 126*155 32 198 3000*1250*1 200 FM350K W 350 437 630 WP13D385E200 6 126*155 32 198 3000*1250*1 200 FM350K W 350 437 630 WP13D345E200 6 126*155 32 198 3000*1350*1 700			18.			4	85*92	12	195		350
FM39GF 30 5 54 WP2.3D33E200 4 90*100 14 195 50 500 FM35GF 35 43, 63 WP2.3D46E200 4 90*100 14 195 1700*700*13 600 FM45GF 45 56, 25 81 WP2.3D48E200 4 90*100 14 195 1800*750*13 700 FM60GF 60 75 108 WP4.1D60E200 4 105*125 15 195 1800*750*14 800 FM90GF 90 112 162 WP4.1D100E20 4 105*125 16 195 2200*850*15 900 Weichal Deut 3 Cylinders Series FM30GF 30 57 54 D226B-3D 3 105*120 15 220 1800*800*14 550 FM45GF 45 56, 25 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 Weichal Series FM50K 50 62, 5 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 Weichal Series FM50K W 70 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 900 FM100K W 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 900 FM1120K W 120 150 216 WP6D132E200 6 105*130 22 198 2600*1000*1 120 FM140K W 10 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 120 FM1180K W 150 187 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM1180K W 80 150 157 270 WP6D167E200 6 126*130 27 198 2600*1000*1 120 FM180K W 80 250 324 WP10D208E200 6 126*130 27 198 2600*1000*1 120 FM180K W 80 250 360 WP10D238E200 6 126*130 27 198 2600*1000*1 120 FM180K W 80 350 504 WP10D238E200 6 126*130 27 198 2600*1000*1 120 FM250K W 80 350 504 WP10D238E200 6 126*130 27 198 2600*1200*1 120 FM250K W 80 350 504 WP10D238E200 6 126*130 27 198 2600*1200*1 120 FM350K W 80 350 504 WP10D238E200 6 126*130 27 198 2600*1200*1 120 FM350K W 80 350 504 WP10D238E200 6 126*130 27 198 2600*1200*1 200 FM350K W 80 350 504 WP10D238E200 6 126*130 27 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*135 32 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP10D338E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP13D358E200 6 126*155 32 198 3000*1250*1 200 FM350K W 80 350 504 WP13D358E200 6	FM20GF	20	25	36	WP2.3D25E200	4	90*100	14	195		450
FM3SGF 35 76 63 WP2.3D40E200 4 90*100 14 195 50 600 FM4SGF 45 56 81 WP2.3D48E200 4 90*100 14 195 50 1800*750*13 700 FM60GF 60 75 108 WP4.1D60E200 4 105*125 15 195 1800*750*14 50 900 Weichal Deut 3 Cylinders Series FM30GF 30 37. 5 54 D226B-3D 3 105*120 15 220 1700*800*12 500 FM4SGF 45 56 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 FM4SGF 45 56 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 Weichal Series FM50K 50 5 5 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 Weichal Series FM50K 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 900 FM100K WW 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 900 FM1100K 120 150 216 WP6D132E200 6 105*130 22 198 2400*900*15 900 FM1140K WW 140 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 120 FM1150K WW 150 157 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM1150K WW 150 157 270 WP6D167E200 6 105*130 25 198 2600*1000*1 120 FM1150K WW 150 157 270 WP6D167E200 6 126*130 25 198 2800*1200*1 150 FM180K WW 150 150 360 WP10D238E200 6 126*130 27 198 2800*1200*1 150 FM180K WW 150 360 WP10D238E200 6 126*130 27 198 2800*1200*1 150 FM20K WW 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 150 FM20K WW 250 35 450 WP10D238E200 6 126*130 27 198 2800*1200*1 150 FM350K WW 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 150 FM350K WW 350 375 540 WP10D230E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 350 457 630 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 350 457 630 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 350 457 684 WP12D317E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 350 457 684 WP13D305E200 6 126*155 35 198 3200*1350*1 700 FM350K WW 350 457 684 WP13D305E200 6 127*165 35 198 3200*1350*1 700 FM350K WW 350 457 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 FM350K WW 350 457 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 FM350K WW 350 457 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700	FM30GF	30		54	WP2.3D33E200	4	90*100	14	195		500
FM4SGF 45 25 81 WP2.3D48E200 4 90*100 14 195 50 700 FM60GF 60 75 108 WP4.1D66E200 4 105*125 15 195 1800*750*14 800 FM90GF 90 112 162 WP4.1D100E20 4 105*125 16 195 2200*850*15 00 Weichal Deut 3 Cylinders Series FM30GF 30 37. 54 D226B-3D 3 105*120 15 220 1700*800*12 500 FM4SGF 45 26 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 Weichal Series FM80K 50 62. 5 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 FM100K WW 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 00 FM100K WW 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 00 FM1100K WW 140 175 252 WP6D132E200 6 105*130 22 198 2600*1000*1 120 FM110K WW 150 15. 57 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM180K WW 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 150 FM180K WW 180 250 360 WP10D238E200 6 126*130 25 198 2800*1200*1 150 FM180K WW 30 30 375 540 WP10D30E200 6 126*155 32 198 3000*125*1 200 FM30K WW 30 350 437 630 WP13D385E200 6 127*165 35 198 3200*1350*1 700 FM330K WW 30 350 437 634 WP13D385E200 6 127*165 35 198 3200*1350*1 700 FM330K WW 30 350 437 634 WP13D385E200 6 127*165 35 198 3200*1350*1 700 FM330K WW 30 350 437 634 WP13D385E200 6 127*165 35 198 3200*1350*1 700 FM330K WW 30 350 437 634 WP13D385E200 6 127*165 35 198 3200*1350*1 700 FM330K WW 40 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 700 FM330K WW 40 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 700 FM330K WW 40 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 700	FM35GF	35		63	WP2.3D40E200	4	90*100	14	195		600
FM60GF 90 112 162 WP4.1D100E20 4 105*125 15 195 50 800 Weichal Deut 3 Cylinders Series FM30GF 30 37. 5 4 D26B-3D 3 105*120 15 220 1700*800*12 00 00 Weichal Series FM45GF 45 56. 25 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 Weichal Series FM50K 80 100 144 WP4D100E200 4 105*130 18 198 1900*900*15 00 00 FM100K 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 00 00 FM100K WW 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 00 00 FM1100K 100 125 180 WP4D108E200 6 105*130 22 198 2400*900*15 00 00 FM1140K 140 175 252 WP6D132E200 6 105*130 22 198 2600*1000*1 120 FM150K WW 150 187 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM150K WW 150 25 324 WP10D200E200 6 126*130 25 198 2800*1200*1 150 FM150K WW 150 37 270 WP6D167E200 6 126*130 25 198 2800*1200*1 150 FM150K WW 300 375 540 WP10D238E200 6 126*130 27 198 2800*1200*1 150 FM250K WW 300 375 540 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 540 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 540 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 32 198 3000*1250*1 200 FM350K WW 300 375 640 WP10D30E200 6 126*155 35 198 3000*1350*1 300 FM350K WW 300 375 640 WP13D30E200 6 126*155 35 198 3000*1350*1 300 FM350K WW 300 375 640 WP13D30E200 6 126*155 35 198 3000*1350*1 300 FM350K WW 300 375 640 WP13D30E200 6 126*155 35 198 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350*1 3000*1350	FM45GF	45		81	WP2.3D48E200	4	90*100	14	195		700
FM90GF 90 5 162 0	FM60GF	60	75	108	WP4.1D66E200	4	105*125	15	195		800
FM30GF 30 37. 5 54 D226B-3D 3 105*120 15 220 1700*800*12 500 500 FM45GF 45 56. 25 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 500 FM50K W 50 5. 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 720 FM80K W 80 100 144 WP4D108E200 4 105*130 20 198 2100*900*15 00 800 FM100K W 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 00 900 FM100K W 120 150 216 WP6D132E200 6 105*130 22 198 2400*900*15 00 100 FM140K W 140 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 120 120 FM150K W 150 180 225 324	FM90GF	90		162		4	105*125	16	195		900
FM30GF 30 5 54 D226B-3D 3 105*120 15 220 00 500 FM45GF 45 56. 25 81 TD226B-3D 3 105*120 15 220 1800*800*14 550 Weichal Series FM50K	Weichai [Deut 3	Cylin	ders Se	eries						
FM45GF 45 25 81 TD226B-3D 3 105*120 15 220 00 550 50 Welchai Series FM50K W 50 62 5 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 7	FM30GF	30		54	D226B-3D	3	105*120	15	220		500
FM50K W 50 62. 5 90 WP4D66E200 4 105*130 18 198 1900*900*15 720 720 FM80K W 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 800 800 FM100K W 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 900 900 FM120K W 120 150 216 WP6D132E200 6 105*130 22 198 2400*900*15 900 100 FM140K W 140 175 252 WP6D132E200 6 105*130 22 198 2600*1000*1 20 120 FM150K W 150 187 270 WP6D167E200 6 105*130 22 198 2600*1000*1 20 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 20 150 FM250K W 250 350 WP10D264E200 <td< td=""><td>FM45GF</td><td>45</td><td></td><td>81</td><td>TD226B-3D</td><td>3</td><td>105*120</td><td>15</td><td>220</td><td></td><td>550</td></td<>	FM45GF	45		81	TD226B-3D	3	105*120	15	220		550
W 50 5 90 WP4D66E200 4 105*130 18 198 00 720 FM80K W 80 100 144 WP4D100E200 4 105*130 20 198 2100*900*15 800 800 FM100K W 100 125 180 WP4D108E200 4 105*130 20 198 2100*900*15 900 900 FM120K W 120 150 216 WP6D132E200 6 105*130 22 198 2400*900*15 900 100 FM140K W 140 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 20 120 FM150K W 150 187 270 WP6D167E200 6 105*130 22 198 2600*1000*1 20 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 20 150 FM250K W 250 350 WP10D264E200 6 126	Weichai S	Series									
W 80 100 144 WP4D100E200 4 105*130 20 198 00 800 FM100K W 100 125 180 WP4D108E200 4 105*130 20 198 2100*990*15 900 FM120K W 120 150 216 WP6D132E200 6 105*130 22 198 2600*1000*1 100 FM140K W 140 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 120 FM150K W 150 187 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 150 FM250K W 250 350 WP10D238E200 6 126*130 27 198 2800*1200*1 180 FM280K W 280 350 504 WP12D317E200 6 126*155 32 198 3000*1250*1 250 FM300K W 350 437 </td <td></td> <td>50</td> <td></td> <td>90</td> <td>WP4D66E200</td> <td>4</td> <td>105*130</td> <td>18</td> <td>198</td> <td></td> <td>720</td>		50		90	WP4D66E200	4	105*130	18	198		720
W 100 125 180 WP4D108E200 4 105*130 20 198 00 900 FM120K W 120 150 216 WP6D132E200 6 105*130 22 198 2400*900*15 00 100 FM140K W 140 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 500 120 FM150K W 150 .5 270 WP6D167E200 6 105*130 22 198 2600*1000*1 500 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 600 150 FM250K W 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 600 200 FM250K W 250 350 504 WP10D317E200 6 126*155 32 198 3000*1250*1 600 250 FM350K W 350 540 WP10D320E200 6 126*155		80	100	144	WP4D100E200	4	105*130	20	198		800
W 120 150 216 WP6D132E200 6 105*130 22 198 00 100 FM140K W 140 175 252 WP6D152E200 6 105*130 22 198 2600*1000*1 120 FM150K W 150 .5 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 150 FM200K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 600 180 FM250K W 250 .5 450 WP10D264E200 6 126*130 27 198 2800*1200*1 200 FM280K W 280 350 504 WP12D317E200 6 126*155 32 198 3000*1250*1 250 FM350K W 300 375 540 WP13D385E200 6 126*155 32 198 3200*1350*1 280 FM380K W<		100	125	180	WP4D108E200	4	105*130	20	198		900
W 140 175 252 WP6D152E200 6 105*130 22 198 500 120 FM150K W 150 .5 270 WP6D167E200 6 105*130 22 198 2600*1000*1 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 150 FM250K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 180 FM250K W 250 312 450 WP10D264E200 6 126*130 27 198 2800*1200*1 600 190 FM280K W 280 350 504 WP12D317E200 6 126*155 32 198 3000*1250*1 200 FM300K W 300 375 540 WP10D320E200 6 126*155 32 198 3000*1250*1 250 FM350K W 350 437 630 WP13D385E200 6 127*165 32 198 3200*1350*1 700 280 <t< td=""><td></td><td>120</td><td>150</td><td>216</td><td>WP6D132E200</td><td>6</td><td>105*130</td><td>22</td><td>198</td><td></td><td>1000</td></t<>		120	150	216	WP6D132E200	6	105*130	22	198		1000
W 150 .5 270 WP6D167E200 6 105*130 22 198 500 120 FM180K W 180 225 324 WP10D200E200 6 126*130 25 198 2800*1200*1 600 150 FM200K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 600 180 FM250K W 250 .5 450 WP10D264E200 6 126*130 27 198 2800*1200*1 600 200 FM280K W 280 350 504 WP12D317E200 6 126*155 32 198 3000*1250*1 600 220 FM300K W 300 375 540 WP10D320E200 6 126*155 32 198 3000*1250*1 600 250 FM350K W 350 437 630 WP13D385E200 6 127*165 32 198 3200*1350*1 700 300 FM380K W 380 475 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 300 FM400K W <td></td> <td>140</td> <td>175</td> <td>252</td> <td>WP6D152E200</td> <td>6</td> <td>105*130</td> <td>22</td> <td>198</td> <td></td> <td>1200</td>		140	175	252	WP6D152E200	6	105*130	22	198		1200
W 180 225 324 WP10D200E200 6 126*130 25 198 600 150 FM200K W 200 250 360 WP10D238E200 6 126*130 27 198 2800*1200*1 600 180 FM250K W 250 312		150	_	270	WP6D167E200	6	105*130	22	198		1200
W 200 250 360 WP10D238E200 6 126*130 27 198 600 180 FM250K W 250 .5 450 WP10D264E200 6 126*130 27 198 2800*1200*1 600 200 FM280K W 280 350 504 WP12D317E200 6 126*155 32 198 3000*1250*1 600 220 FM300K W 300 375 540 WP10D320E200 6 126*155 32 198 3000*1250*1 600 250 FM350K W 350 437		180	225	324	WP10D200E200	6	126*130	25	198		1500
W 250 .5 450 WP10D264E200 6 126*130 27 198 600 200 FM280K W 280 350 504 WP12D317E200 6 126*155 32 198 3000*1250*1 600 220 FM300K W 300 375 540 WP10D320E200 6 126*155 32 198 3000*1250*1 600 250 FM350K W 350 437 .5 630 WP13D385E200 6 127*165 32 198 3200*1350*1 700 280 FM380K W 380 475 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 300 FM400K W 400 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 750 320	W	200		360	WP10D238E200	6	126*130	27	198	600	1800
W 280 350 504 WP12D317E200 6 126*155 32 198 600 220 FM300K W 300 375 540 WP10D320E200 6 126*155 32 198 3000*1250*1 600 250 FM350K W 350 437 5 630 WP13D385E200 6 127*165 32 198 3200*1350*1 700 280 FM380K W 380 475 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 300 FM400K W 400 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 750 320	W	250	-	450	WP10D264E200	6	126*130	27	198		2000
W 300 375 540 WP10D320E200 6 126*155 32 198 600 250 FM350K W 350 437 .5 630 WP13D385E200 6 127*165 32 198 3200*1350*1 700 280 FM380K W 380 475 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 300 FM400K W 400 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 750 320	W	280	350	504	WP12D317E200	6	126*155	32	198	600	2200
W 350 .5 630 WP13D385E200 6 127*165 32 198 700 280 FM380K W 380 475 684 WP13D405E200 6 127*165 35 198 3200*1350*1 700 300 FM400K W 400 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 750 320	W	300		540	WP10D320E200	6	126*155	32	198	600	2500
W 380 475 684 WP13D405E200 6 127*165 35 198 700 300 FM400K W 400 500 720 WP13D440E310 6 127*165 35 198 3200*1350*1 750 320	W	350		630	WP13D385E200	6	127*165	32	198	700	2800
W 400 500 720 WP13D440E310 6 127*165 35 198 750 320	W	380	475	684	WP13D405E200	6	127*165	35	198	700	3000
vveichal Series	W		500	720	WP13D440E310	6	127*165	35	198		3200
	Weichai S	Series									

W	450	.5	δΙΟ	8-5	О	100 200	48	215	800	3800
FM550K W	550	587 .5	990	WHM6160MD62 8-5	6	160*216	48	215	3600*1500*1 800	4000
Weichai E	Baudo	uin Se	eries							
FM400K W	400	500	720	6M26D447E200	6	150*150	60	210	3600*1500*1 800	3600
FM450K W	450	562 .5	810	6M26D484E200	6	150*150	60	210	3600*1500*1 800	4000
FM520K W	520	650	936	6M33D572E200	6	150*185	60	210	3600*1500*1 800	4500
FM550K W	550	687 .5	990	6M33D605E200	6	150*185	60	210	3600*1500*1 850	5000
FM720K W	720	900	1296	12M26D792E20 0	12	150*150	120	210	4500*1850*2 200	7000
FM820K W	820	102 5	1476	12M26D902E20 0	12	150*150	120	210	4500*1850*2 200	7500
FM900K W	900	112 5	1620	12M26D968E20 0	12	150*150	120	210	4600*1850*2 250	8000
FM1000 KW	100 0	125 0	1800	12M33D1108E2 00	12	150*185	135	210	4800*2000*2 400	8600
FM1100 KW	110 0	137 5	1980	12M33D1210E2 00	12	150*185	135	210	4800*2000*2 500	9000



章 潍坊丰茂动力设备有限公司 Weifang Fengmao Power Equipment Co., Ltd. Weifang green power equipment co., LTD.







Weifang Weicheng Economic Development Zone, Weifang, Shandong, China