



Water Cooled Electric Shanghai Generators 200kw 300 Kva Diesel Generator

Our Product Introduction

more products please visit us on enginedieselgenerator.com

Basic Information

- Place of Origin: CHINA
- Brand Name: Shanghai Diesel Generators
- Certification: ISO9001
- Model Number: 500KW
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Plywood Package
- Delivery Time: 3-5days
- Payment Terms: T/T
- Supply Ability: 1000



Product Specification

- Fuel Consumption: $\leq 210\text{g/kWh}$
- Power Output: 20-1000kW
- Fuel Type: Diesel
- Voltage: 380V/400V/415V/440V/480V
- Warranty: 1 Year
- Cooling Method: Water Cooled
- Starting Method: Electric/Air
- Frequency: 50Hz/60Hz
- Highlight: Shanghai Generators 200kw,
Shanghai 300 Kva Diesel Generator,
Water Cooled Shanghai Generators



Product Description

3 phase electric shanghai generators 200kw 300 kva generator 200 kva 250 kva diesel power generator for sale

Product Description:

Shanghai Diesel Generators are the perfect choice for mobile power applications. Our generators range from 20-1000kW and come in a variety of styles including containerized gensets, trailer mounted generator, and more. Each generator features either a 1500rpm or 1800rpm speed, and an electric or air starting method. Additionally, our generators come with a 1-year warranty and are equipped with either Smartgen, Deepsea, or ComAp control systems.

Shanghai Diesel Generators are reliable, efficient, and built for long-term use. Our mobile diesel generators are designed to provide superior performance in the most challenging conditions, making them the perfect choice for both short and long-term power needs.

Features:

Product Name: Shanghai Diesel Generators

Fuel Consumption: $\leq 210\text{g/kWh}$

Control System: Smartgen/Deepsea/ComAp

Noise Level: $\leq 75\text{dB(A)}$

Starting Method: Electric/Air

Speed: 1500rpm/1800rpm

Highlight: mobile diesel generator, trailer mounted generator, silent electric generator

Technical Parameters:

| Parameter | Value |
|------------------|--|
| Power Output | 20-1000kW |
| Frequency | 50Hz/60Hz |
| Cooling Method | Water Cooled |
| Service Life | $\geq 20,000$ Hours |
| Warranty | 1 Year |
| Speed | 1500rpm/1800rpm |
| Fuel Type | Diesel |
| Noise Level | $\leq 75\text{dB(A)}$ |
| Fuel Consumption | $\leq 210\text{g/kWh}$ |
| Control System | Smartgen/Deepsea/ComAp |
| Special Features | Silent Electric Generator, Containerized Genset, Trailer Mounted Generator |

Applications:

Shanghai Diesel Generators are trailer mounted generators, mobile diesel generators, and mobile generators that offer reliable, high-performing power with fuel efficiency. Our 100KW diesel generator with Cummins engine is ISO9001 certified and comes with a 1 year warranty. Smartgen, Deepsea, and ComAp control systems are available, and each generator has a service life of $\geq 20,000$ hours and a fuel consumption of $\leq 210\text{g/kWh}$. Our minimum order quantity is 1, and our price range is US\$9850-10150. Packaging is provided in a plywood package, and delivery is estimated within 3-5 days. Payment terms are T/T, and we are able to supply up to 1000 units.

Customization:

Shanghai Diesel Generators

Brand Name: Shanghai Diesel Generators

Model Number: 100KW

Place of Origin: CHINA

Certification: ISO9001

Minimum Order Quantity: 1

Price: US\$ 9850-10150

Packaging Details: Plywood Package

Delivery Time: 3-5days

Payment Terms: T/T

Supply Ability: 1000

Noise Level: $\leq 75\text{dB(A)}$

Speed: 1500rpm/1800rpm

Fuel Consumption: ≤210g/kWh
Cooling Method: Water Cooled
Fuel Type: Diesel
Highlights:
Trailer Mounted Generator
Containerized Genset
Containerized Genset

Support and Services:

Shanghai Diesel Generators provides technical support and services to ensure that customers can use their products with ease and efficiency. Our technical support team is available 24 hours a day, 7 days a week to answer any inquiries or problems customers may have. We provide on-site installation and maintenance services, as well as remote assistance for customers who are unable to send technicians to our facilities. In addition, we offer a comprehensive library of technical documents and manuals to help customers learn how to operate and maintain their diesel generators. We are committed to providing the best technical support and services to our customers.

Packing and Shipping:

Packaging and Shipping
Shanghai Diesel Generators are packaged in a manner that ensures their safe arrival at the customer's location. Our generators are secured with protective foam, then placed in heavy-duty cardboard boxes to minimize the risk of damage during transit. We also take extra precautions to ensure the contents stay dry and secure inside the box. Once the package is sealed, it is shipped out to the customer on a reliable courier service. We offer both standard and express shipping for domestic and international orders. All orders are tracked and insured for a safe and secure transit.

Product Description

1. Main technical parameter for generator set

| | |
|------------------------------|-----------------------|
| brand | Green power |
| manufacturer | made in china |
| The unit type | FM75GF |
| power of the assembling unit | 75KW/84kva |
| power factor | 0.8 |
| starting mode | electrical starting |
| output voltage | 400/230V |
| current output | 135A |
| mode of connection | three-phase four-wire |
| rated frequency | 50HZ |

China Shanghai Group 75kw Silent Diesel Generator Set

1. Introduction to diesel engine

This series of generator sets are made by Shanghai diesel engine co., LTD., which produces series H series, D series, E series, G series and W series power station diesel engines as power, and equipped with famous brand generator. The unit has the characteristics of high pressure regulating precision, good dynamic performance, low voltage waveform distortion, high efficiency, reliable work, long service life and good economic performance. The unit is equipped with a full set of no-maintenance battery startup system. The user can start the unit with the injection of oil and anti-freeze liquid and switch on the switch, so as to output power and improve the convenience of use.

1. Generator parameter

The nonlinear load voltage waveform is less distorted
Strong short circuit endurance
The stator winding is impregnated by vacuum pressure and covered with dampproof epoxy insulating paint
The rotor and exciter are treated with high temperature resistant insulating resin paint, which is more

suitable for use in bad environment

H grade insulation

The rotor silicon steel plate is mechanically tightened

China Shanghai Group 75kw Silent Diesel Generator Set

| model | power KW KVA | | electricity A | Diesel engine model | number of cylinders | Cylinder diameter mm | lubricating oil capacity L | oil wear g/kw.g | The unit size L×W×H | The unit weight kg |
|-----------------|-----------------|-------|------------------|------------------------|---------------------------|----------------------------|----------------------------------|--------------------|------------------------|--------------------------|
| FM5 0GF | 50 | 62.5 | 90 | SC4H95D2 | 4 | 135*140 | 25 | 232 | 2200*800*1380 | 1500 |
| FM7 5GF | 75 | 93.75 | 135 | SC4H15D2 | 4 | 135*150 | 25 | 225 | 2300*900*1300 | 1600 |
| FM1 00G F | 100 | 125 | 180 | SC4H160D2 | 4 | 105*124 | 13 | 193 | 2500*900*1500 | 2000 |
| FM1 20G F | 120 | 150 | 216 | SC4H180D2 | 4 | 135*150 | 28 | 226 | 2600*900*1550 | 2250 |
| FM1 50G F | 150 | 187.5 | 270 | SC7H230D2 | 6 | 105*124 | 17.5 | 199 | 2600*900*1550 | 2300 |
| FM1 70G F | 170 | 212.5 | 306 | SC7H250D2 | 6 | 114*135 | 19 | 198 | 2600*900*1600 | 2400 |
| FM1 80G F | 180 | 225 | 324 | SC8D280D2 | 6 | 114*144 | 19 | 198 | 2600*1050*1600 | 2400 |
| FM2 00G F | 200 | 250 | 360 | SC9D310D2 | 6 | 114*144 | 19 | 198 | 2600*1050*1600 | 2600 |
| FM2 20G F | 220 | 275 | 396 | SC9D340D2 | 6 | 135*150 | 33 | 225 | 3000*1280*1650 | 2650 |
| FM2 50G F | 250 | 312.5 | 450 | SC13G355D2 | 6 | 135*150 | 33 | 225 | 3000*1280*1650 | 2800 |
| FM2 50G F | 250 | 312.5 | 450 | SC13G420D2 | 6 | 135*150 | 33 | 225 | 3000*1280*1650 | 2800 |
| FM3 00G F | 300 | 375 | 540 | SC12E460D2 | 6 | 128*153 | 37 | 192 | 3000*1280*1700 | 3450 |
| FM3 20G F | 320 | 400 | 576 | SC15G500D2 | 6 | 135*165 | 33 | 200 | 3200*1350*1850 | 3500 |
| FM3 50G F | 350 | 437.5 | 630 | SC15G500D2 | 6 | 135*165 | 33 | 202 | 3200*1350*1900 | 3500 |
| FM4 00G F | 400 | 500 | 720 | SC25G610D2 | 12 | 135*150 | 65 | 202 | 3400*1500*1950 | 4200 |
| FM4 50G F | 450 | 562.5 | 810 | SD25G690D2 | 12 | 135*155 | 65 | 202 | 3500*1500*1950 | 4500 |
| FM5 00G F | 500 | 625 | 900 | SC27G755D2 | 12 | 135*155 | 65 | 202 | 3500*1500*2000 | 4800 |
| FM5 50G F | 550 | 687.5 | 990 | SC27G830D2 | 12 | 135*155 | 65 | 202 | 3600*1600*2000 | 5000 |
| FM6 00G F | 600 | 750 | 1080 | SC27G900D2 | 12 | 135*155 | 65 | 202 | 3650*1600*2000 | 5050 |
| FM6 60G F | 660 | 825 | 1188 | SC33W990D2 | 6 | 180*215 | 75 | 205 | 4400*1700*2150 | 5200 |
| FM8 00G F | 800 | 1000 | 1440 | SC33W1150D2 | 6 | 180*215 | 75 | 205 | 4800*1800*2250 | 6500 |

1. The above technical parameters have a speed of 1500RPM, a frequency of 50HZ, a rated voltage of 400/230v, a power factor of 0.8, and a three-phase four-wire connection.
2. According to customers' demand, the generator can choose famous brands such as Shanghai Stanford, Shanghai marathon, wuxi

Stanford, etc.

3.60HZ generator sets can be customized according to the special needs of customers.

China Shanghai Group 75kw Silent Diesel Generator Set

| |
|---|
| Standard equipment: |
| diesel engine |
| alternator |
| water cooled radiator |
| industrial silencer and flexible exhaust hose |
| maintenance-free lead-acid starting batteries and battery connect wires |
| output circuit breaker |
| digital control panel |
| steel base frame |

China Shanghai Group 75kw Silent Diesel Generator Set

China Shanghai Group 75kw Silent Diesel Generator Set



潍坊丰茂动力设备有限公司
Weifang green power equipment co., LTD

Weifang Fengmao Power Equipment Co., Ltd.



8618363646120



fm_dieselgenerator@163.com



enginedieselgenerator.com

Weifang Weicheng Economic Development Zone, Weifang, Shandong, China